

Sub Section

Designer Range

Our aim is to offer a statement piece radiator or towel rail that allows maximum space to keep towels warm. In the designer range you can find a huge variety of towel rail styles and radiators using minimalistic, clean designs.


Contents			
Warrington Type10, Available in 5 colours - NEW COLOUR & SIZES	92-95	Wingrave Flat Panel, Available in 3 colours	140-141
Warrington Type20, Available in 3 colours - NEW SIZES	96-99	Tunstall Vertical, Available in 4 colours	142-143
Leonardo, Chrome & Brushed Brass	100	Tunstall Horizontal, Available in 3 colours	144
Brockworth All Electric Available in 3 colours	101	Tunstall Towel Rail, Available in 4 colours	145
Staverton Tube on Tube Straight, Available in 3 colours	102	Tunstall Double Vertical, Available in 3	146-147
Staverton Tube on Tube Curved, Chrome	103	Tunstall Double Horizontal, Available in 3 colours	148-149
Biava Corinium, Chrome	103	Tunstall Double Towel Rail, Available in 3 colours	150
Defford, Available in 5 colours	104-105	Tunstall Mirror & Tunstall Double Mirror, Available in 3 colours	151
Staverton, Available in 3 colours	106	Deddington Vertical, Available in 5 colours	152-153
Mezzo Tondo, Chrome	107	Deddington Horizontal, Available in 5	154-155
Pesaro, Chrome	107	Deddington Towel Rail, Available in 5 colours	156-157
Santero, Available in 4 colours	108-109	Addington II Type 10, Available in 4 colours - NEW PRODUCT	158-165
Hurley, Available in 6 colours	110-113	Addington II Type 20, Available in 3 colours - NEW PRODUCT	166-171
Helmsley, Available in 4 colours	114-115	Addington II Type 10 Towel Rail, Available in 4 colours - NEW PRODUCT	172-174
Platani, Available in 5 colours	116-117	Addington II Type 20 Towel Rail, Available in 3 colours - NEW PRODUCT	175
Reinbach, Available in 5 colours - NEW SIZES	118-119	Addington Type10, Gloss White & Matt Anthracite	176-179
Marlow, Available in 5 colours	120-121	Addington Type10 Towel Rail, Gloss White & Matt Anthracite	180
Marlow E-Style, Available in 5 colours	122-123	Addington Type10 Towel Hangers	181
Conwy, Available in 4 colours	124	Addington Type20, Gloss White & Matt Anthracite	182-185
Portchester, Available in 4 colours	125	Addington Type21 Horizontal, Gloss White & Matt Anthracite	186
Lambourne, Available in 4 colours	126-127	Addington Type22 Horizontal, Gloss White & Matt Anthracite	187
Murano Vertical & Horizontal, Available in 4 colours	128-129	Addington Type20 Towel Rail, Gloss White & Matt Anthracite	188
Ryton, Available in 3 colours	130	Addington Type21 Towel Rail, Gloss White & Matt Anthracite	189
Kenilworth, Available in 3 colours	131		
Loxley, Available in 3 colours	132		
Eshton, Available in 3 colours	133		
Rubano Vertical & Horizontal, Gloss White & Matt Anthracite	134-135		
Rowsham Vertical & Horizontal, Matt White & Matt Anthracite	136-138		
Rowsham Towel Rail, Matt White & Matt Anthracite	139		

Designer Range

WARRINGTON TYPE 10 - HORIZONTAL



Pictured 41.0532 Gloss White



Pictured 41.0528 Matt Black

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 4 colours in total.

FEATURES

- 68x12mm vertical bars
 - Tested to BS EN 442 standards
 - Single profile construction
 - 4 colours available from stock
 - Not suitable for elements
 - Comes with same colour blanking plug & bleed valve (brushed brass finish only)
 - 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 388-389



600mm Height - Horizontal

Warrington Type 10 Horizontal Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 452mm	169	321	41.0520	123.00	147.60
600 x 604mm	225	427	41.0523	152.00	182.40
600 x 832mm	310	588	41.0526	195.00	234.00
600 x 1060mm	394	748	41.0529	237.00	284.40
600 x 1212mm	450	854	41.0532	265.00	318.00
600 x 1440mm	535	1015	41.0841	306.00	367.20
600 x 1668mm	619	1175	41.0844	349.00	418.80

Warrington Type 10 Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 452mm	169	321	41.0521	126.00	151.20
600 x 604mm	225	427	41.0524	156.00	187.20
600 x 832mm	310	588	41.0527	200.00	240.00
600 x 1060mm	394	748	41.0530	243.00	291.60
600 x 1212mm	450	854	41.0533	272.00	326.40
600 x 1440mm	535	1015	41.0842	314.00	376.80
600 x 1668mm	619	1175	41.0845	359.00	430.80

Warrington Type 10 Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 452mm	169	321	41.0522	126.00	151.20
600 x 604mm	225	427	41.0525	156.00	187.20
600 x 832mm	310	588	41.0528	200.00	240.00
600 x 1060mm	394	748	41.0531	243.00	291.60
600 x 1212mm	450	854	41.0534	272.00	326.40
600 x 1440mm	535	1015	41.0843	314.00	376.80
600 x 1668mm	619	1175	41.0846	359.00	430.80

TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

Designer Range

WARRINGTON TYPE 10 - VERTICAL

New Sizes Available August 2025

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 5 colours in total, including the brand new stunning chrome finish.

FEATURES

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Single profile construction
- 5 colours available from stock
- Not suitable for elements
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 388-389



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

1500mm Height - Vertical

NEW! Warrington Type 10 Vertical Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	258	490	41.1119	155.00	186.00
1500 x 376mm	322	612	41.1120	186.00	223.20
1500 x 452mm	387	735	41.1121	216.00	259.20
1500 x 528mm	451	857	41.1122	247.00	296.40
1500 x 604mm	516	980	41.1123	277.00	332.40
1500 x 680mm	580	1102	41.1124	308.00	369.60

NEW! Warrington Type 10 Vertical Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	258	490	41.1125	159.00	190.80
1500 x 376mm	322	612	41.1126	190.00	228.00
1500 x 452mm	387	735	41.1127	221.00	265.20
1500 x 528mm	451	857	41.1128	253.00	303.60
1500 x 604mm	516	980	41.1129	284.00	340.80
1500 x 680mm	580	1102	41.1130	315.00	378.00

NEW! Warrington Type 10 Vertical Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	258	490	41.1131	159.00	190.80
1500 x 376mm	322	612	41.1132	190.00	228.00
1500 x 452mm	387	735	41.1133	221.00	265.20
1500 x 528mm	451	857	41.1134	253.00	303.60
1500 x 604mm	516	980	41.1135	284.00	340.80
1500 x 680mm	580	1102	41.1136	315.00	378.00

NEW! Warrington Type 10 Vertical Radiators - Chrome

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	151	293	41.1137	244.00	292.80
1500 x 376mm	188	366	41.1138	295.00	354.00
1500 x 452mm	226	439	41.1139	346.00	415.20
1500 x 528mm	263	512	41.1140	397.00	476.40
1500 x 604mm	301	585	41.1141	449.00	538.80


NEW! Warrington Type 10 Vertical Radiators - Brushed Brass

Size H x W	△T30 Watts*	△T50 Watts*	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	151	293	41.1142	363.00	435.60
1500 x 376mm	188	366	41.1143	414.00	496.80
1500 x 452mm	226	439	41.1144	465.00	558.00
1500 x 528mm	263	512	41.1145	516.00	619.20
1500 x 604mm	301	585	41.1146	567.00	680.40

* Further heat output information available on eastbrooktrade.com E&O



Pictured 41.1134 Matt Black



Single profile construction

Warranty


5

Year

Heating

Designer Range

WARRINGTON TYPE 10 - VERTICAL



Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 5 colours in total.

FEATURES

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Single profile construction
- 5 colours available from stock
- Not suitable for elements
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 388-389




NEW

New Colour Available August 2025



Bar Dimensions (mm)

Vertical Bars 68 x 12mm



Designer Range

WARRINGTON TYPE 10 - VERTICAL

1800mm Height - Vertical

Warrington Type 10 Vertical Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	322	616	41.0505	172.00	206.40
1800 x 376mm	403	769	41.0508	205.00	246.00
1800 x 452mm	483	923	41.0511	239.00	286.80
1800 x 528mm	564	1077	41.0514	271.00	325.20
1800 x 604mm	644	1231	41.0517	305.00	366.00
1800 x 680mm	725	1385	41.0838	341.00	409.20

Warrington Type 10 Vertical Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	322	616	41.0506	177.00	212.40
1800 x 376mm	403	769	41.0509	212.00	254.40
1800 x 452mm	483	923	41.0512	245.00	294.00
1800 x 528mm	564	1077	41.0515	280.00	336.00
1800 x 604mm	644	1231	41.0518	314.00	376.80
1800 x 680mm	725	1385	41.0839	350.00	420.00

Warrington Type 10 Vertical Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	322	616	41.0507	177.00	212.40
1800 x 376mm	403	769	41.0510	212.00	254.40
1800 x 452mm	483	923	41.0513	245.00	294.00
1800 x 528mm	564	1077	41.0516	280.00	336.00
1800 x 604mm	644	1231	41.0519	314.00	376.80
1800 x 680mm	725	1385	41.0840	350.00	420.00

NEW! Warrington Type 10 Vertical Radiators - Chrome

Size H x W	△T30 Watts*	△T50 Watts*	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	192	383	41.1147	279.00	334.80
1800 x 376mm	240	479	41.1148	339.00	406.80
1800 x 452mm	288	575	41.1149	397.00	476.40
1800 x 528mm	336	670	41.1150	457.00	548.40
1800 x 604mm	384	766	41.1151	516.00	619.20

Warrington Type 10 Vertical Radiators - Brushed Brass

Size H x W	△T30 Watts*	△T50 Watts*	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	192	383	41.0779	438.00	525.60
1800 x 376mm	240	479	41.0780	491.00	589.20
1800 x 452mm	288	575	41.0781	543.00	651.60
1800 x 528mm	336	670	41.0782	596.00	715.20
1800 x 604mm	384	766	41.0783	648.00	777.60

* Further heat output information available on eastbrooktrade.com **E&O**

Brushed Brass Finish



Single profile construction

High quality PVD coating

WARRINGTON TOWEL HANGERS TYPE10 & TYPE20



Towel Hanger - Mirror Polished Premium

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0565	53.00	63.60
300mm	41.0569	57.00	68.40
380mm	41.0573	62.00	74.40
500mm	41.0577	71.00	85.20



Towel Hanger - Gloss White

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0566	50.00	60.00
300mm	41.0570	53.00	63.60
380mm	41.0574	58.00	69.60
500mm	41.0578	65.00	78.00



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0567	50.00	60.00
300mm	41.0571	53.00	63.60
380mm	41.0575	58.00	69.60
500mm	41.0579	65.00	78.00



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0568	50.00	60.00
300mm	41.0572	53.00	63.60
380mm	41.0576	58.00	69.60
500mm	41.0580	65.00	78.00



Towel Hanger - Brushed Brass Premium

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0800	67.00	80.40
300mm	41.0801	72.00	86.40
380mm	41.0802	78.00	93.60
500mm	41.0803	89.00	106.80



Bleed Valve & Blanking Plug Set - Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.0732	11.00	13.20

TECHNICAL INFORMATION

Material: Steel (Premium: Stainless Steel - Grade 304)

Warrington radiators do not come with towel hanger locations. Towel hangers can be fitted on any desired height, left or right handed and with the quantity chosen. Warrington Towel Hangers can be fitted on vertical & horizontal sizes.

Must be fitted before installation. Warrington Towel Hangers are only compatible with Warrington Type 10 & Type 20 radiators.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

WARRINGTON TYPE 20 - HORIZONTAL



Warranty

5
Year

Heating



Pictured 41.0564 Matt Black



Pictured 41.0553 Gloss White

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Double panel Warrington Radiator is available in vertical & horizontal sizes and 3 colours.

FEATURES

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Double profile construction
- 3 colours available from stock
- Not suitable for elements
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 388-389



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

600mm Height - Horizontal

Warrington Type 20 Horizontal Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 456mm	268	510	41.0550	182.00	218.40
600 x 608mm	358	680	41.0553	230.00	276.00
600 x 836mm	492	935	41.0556	303.00	363.60
600 x 1064mm	626	1190	41.0559	374.00	448.80
600 x 1216mm	715	1360	41.0562	423.00	507.60
600 x 1444mm	849	1615	41.0850	493.00	591.60
600 x 1672mm	983	1870	41.0853	565.00	678.00

Warrington Type 20 Horizontal Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 456mm	268	510	41.0551	187.00	224.40
600 x 608mm	358	680	41.0554	237.00	284.40
600 x 836mm	492	935	41.0557	311.00	373.20
600 x 1064mm	626	1190	41.0560	385.00	462.00
600 x 1216mm	715	1360	41.0563	434.00	520.80
600 x 1444mm	849	1615	41.0851	507.00	608.40
600 x 1672mm	983	1870	41.0854	581.00	697.20

Warrington Type 20 Horizontal Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 456mm	268	510	41.0552	187.00	224.40
600 x 608mm	358	680	41.0555	237.00	284.40
600 x 836mm	492	935	41.0558	311.00	373.20
600 x 1064mm	626	1190	41.0561	385.00	462.00
600 x 1216mm	715	1360	41.0564	434.00	520.80
600 x 1444mm	849	1615	41.0852	507.00	608.40
600 x 1672mm	983	1870	41.0855	581.00	697.20

Designer Range

WARRINGTON TYPE 20 - VERTICAL

New Sizes Available August 2025



Pictured 41.1154 Gloss White



Pictured 41.1167 Matt Black with 41.0803 Towel Hanger

1500mm Height - Vertical

NEW! Warrington Type 20 Vertical Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 304mm	372	721	41.1152	242.00	290.40
1500 x 380mm	466	902	41.1153	294.00	352.80
1500 x 456mm	559	1082	41.1154	346.00	415.20
1500 x 532mm	652	1262	41.1155	397.00	476.40
1500 x 608mm	745	1443	41.1156	450.00	540.00
1500 x 684mm	838	1623	41.1157	502.00	602.40

NEW! Warrington Type 20 Vertical Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 304mm	372	721	41.1158	249.00	298.80
1500 x 380mm	466	902	41.1159	301.00	361.20
1500 x 456mm	559	1082	41.1160	355.00	426.00
1500 x 532mm	652	1262	41.1161	408.00	489.60
1500 x 608mm	745	1443	41.1162	462.00	554.40
1500 x 684mm	838	1623	41.1163	515.00	618.00

NEW! Warrington Type 20 Vertical Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 304mm	372	721	41.1164	249.00	298.80
1500 x 380mm	466	902	41.1165	301.00	361.20
1500 x 456mm	559	1082	41.1166	355.00	426.00
1500 x 532mm	652	1262	41.1167	408.00	489.60
1500 x 608mm	745	1443	41.1168	462.00	554.40
1500 x 684mm	838	1623	41.1169	515.00	618.00



Double profile construction

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 4 colours in total.

FEATURES

- 68x12mm vertical bars
 - Tested to BS EN 442 standards
 - Single profile construction
 - 4 colours available from stock
 - Not suitable for elements
 - Comes with same colour blanking plug & bleed valve (brushed brass finish only)
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings
Page 390-391



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

Designer Range

WARRINGTON TYPE 20 - VERTICAL



Pictured 41.0547 Gloss White

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Double panel Warrington Radiator is available in vertical & horizontal sizes and 3 colours.

FEATURES

- 68x12mm vertical bars
 - Tested to BS EN 442 standards
 - Double profile construction
 - 3 colours available from stock
 - Not suitable for elements
 - 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 390-391



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.



Bar Dimensions (mm)

Vertical Bars 68 x 12mm

Pictured 41.0539 Matt Anthracite with 41.0569 Towel Hanger



Double profile construction

Designer Range

WARRINGTON TYPE 20 - VERTICAL

1800mm Height - Vertical

Warrington Type 20 Vertical Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 304mm	468	902	41.0535	271.00	325.20
1800 x 380mm	584	1127	41.0538	340.00	408.00
1800 x 456mm	701	1352	41.0541	398.00	477.60
1800 x 532mm	818	1578	41.0544	458.00	549.60
1800 x 608mm	935	1803	41.0547	519.00	622.80
1800 x 684mm	1052	2028	41.0847	580.00	696.00

Warrington Type 20 Vertical Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 304mm	468	902	41.0536	287.00	344.40
1800 x 380mm	584	1127	41.0539	349.00	418.80
1800 x 456mm	701	1352	41.0542	410.00	492.00
1800 x 532mm	818	1578	41.0545	471.00	565.20
1800 x 608mm	935	1803	41.0548	533.00	639.60
1800 x 684mm	1052	2028	41.0848	595.00	714.00

Warrington Type 20 Vertical Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 304mm	468	902	41.0537	287.00	344.40
1800 x 380mm	584	1127	41.0540	349.00	418.80
1800 x 456mm	701	1352	41.0543	410.00	492.00
1800 x 532mm	818	1578	41.0546	471.00	565.20
1800 x 608mm	935	1803	41.0549	533.00	639.60
1800 x 684mm	1052	2028	41.0849	595.00	714.00



Pictured 41.0847 Gloss White

WARRINGTON TOWEL HANGERS TYPE10 & TYPE20



Towel Hanger - Mirror Polished Premium

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0565	53.00	63.60
300mm	41.0569	57.00	68.40
380mm	41.0573	62.00	74.40
500mm	41.0577	71.00	85.20



Towel Hanger - Gloss White

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0566	50.00	60.00
300mm	41.0570	53.00	63.60
380mm	41.0574	58.00	69.60
500mm	41.0578	65.00	78.00



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0567	50.00	60.00
300mm	41.0571	53.00	63.60
380mm	41.0575	58.00	69.60
500mm	41.0579	65.00	78.00




Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0568	50.00	60.00
300mm	41.0572	53.00	63.60
380mm	41.0576	58.00	69.60
500mm	41.0580	65.00	78.00



Towel Hanger - Brushed Brass Premium

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0800	67.00	80.40
300mm	41.0801	72.00	86.40
380mm	41.0802	78.00	93.60
500mm	41.0803	89.00	106.80



Bleed Valve & Blanking Plug Set - Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.0732	11.00	13.20

TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

Warrington radiators do not come with towel hanger locations. Towel hangers can be fitted on any desired height, left or right handed and with the quantity chosen. Warrington Towel Hangers can be fitted on vertical & horizontal sizes.

Must be fitted before installation. Warrington Towel Hangers are only compatible with Warrington Type 10 & Type 20 radiators.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

LEONARDO

Warranty

5

Year

Heating

All Electric

Dual-Fuel



Pictured 41.0261 Chrome

Can be reverse handed (Left or Right)

The single sided pipes on this wonderfully stylish Leonardo rail allows maximum hanging space.

FEATURES

- 42 x 14mm. horizontal bars
- Tested to BS EN 442 standards
- Can be reverse handed (left or right)
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year manufacturer's warranty*
- * With conditions

Technical Tables & Drawings
Page 390-391

Leonardo - Chrome							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	68	135	150W	A, A+, B, D, E, F, G	41.0255	286.00	343.20
600 x 500mm	82	162	150W	A, A+, B, D, E, F, G	41.0258	310.00	372.00
600 x 600mm	95	189	150W	A, A+, B, D, E, F, G	41.0263	339.00	406.80
688 x 500mm	93	182	150W	A, A+, B, D, E, F, G	41.0261	323.00	387.60
1200 x 400mm	128	255	300W	A, A+, B, D, E, F, G	41.0256	481.00	577.20
1200 x 500mm	153	305	300W	A, A+, B, D, E, F, G	41.0259	534.00	640.80
1200 x 600mm	175	350	300W	A, A+, B, D, E, F, G	41.0264	580.00	696.00
1450 x 500mm	184	370	450W	A, A+, B, D, E, F, G	41.0262	627.00	752.40
1800 x 400mm	192	389	450W	A, A+, B, D, E, F, G	41.0257	670.00	804.00
1800 x 500mm	230	466	450W	A, A+, B, D, E, F, G	41.0260	739.00	886.80
1800 x 600mm	276	540	600W	A, A+, B, D, E, F, G	41.0265	807.00	968.40

Bar Dimensions (mm)
Horizontal Bars 42 x 14mm



Pictured 41.0371 Brushed Brass

High quality PVD coating

Leonardo - Brushed Brass							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	184	366	300W	A, A+, B, D, E, F, G	41.0371	713.00	855.60
1200 x 600mm	228	442	450W	A, A+, B, D, E, F, G	41.0372	770.00	924.00

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 82mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

Designer Range

BROCKWORTH ALL ELECTRIC

Bar Dimensions (mm)

Horizontal Bars 60 x 12mm



Pictured 41.0784 Matt White



Pictured 41.0785 Matt Anthracite



Pictured 41.0786 Matt Black

The sophisticated design of this towel rail perfectly combines elegance with practicality. Comes with a pre-fitted Wi-Fi enabled heating element and pre-filled with fluid, it's ready to use straight away. Simply connect, and you're all set. Available in three colours; matt white, matt anthracite and matt black.

FEATURES

- 60 x 12mm. horizontal bars
- Comes ready to use, fitted with Type B Wi-Fi element (700W) & fluid filled
- Element fitted to left hand side
- Element with IP rating X4
- Tested to BS EN 442 standards
- Can **not** be reverse handed
- All electric only
- 2 Year manufacturer's warranty*
- * With conditions

Technical Tables & Drawings
Page 390-391



Brockworth All Electric Towel Rail - Matt White							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	700	2387	700W	Type B Wi-Fi	41.0784	429.00	514.80

Brockworth All Electric Towel Rail - Matt Anthracite							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	700	2387	700W	Type B Wi-Fi	41.0785	429.00	514.80


Brockworth All Electric Towel Rail - Matt Black							
Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	700	2387	700W	Type B Wi-Fi	41.0786	429.00	514.80

TECHNICAL INFORMATION

All measurements in Height by Width. Brockworth All Electric towel rail is all electric and to be used all electric only. Type B Wi-Fi Element (700W) is factory fitted & fluid filled. Element fitted to left hand side. For element technical information refer to Page 299. This towel rail is approx. 96-106mm off the wall. Price includes radiator and wall fixing sets.

Designer Range

STAVERTON - TUBE ON TUBE - STRAIGHT



Warranty
5
Year

Heating

All Electric

Dual-Fuel

Bar Dimensions (mm)
Horizontal Bars 68 x 12mm

Pictured 41.0334 Chrome



Rear fixing wall brackets

High quality PVD coating

Pictured 41.0375 Brushed Brass

Staverton Tube on Tube towel rails feature stylish flat horizontal bars, offering a clean and contemporary look. Available in three popular colour options, they combine everyday practicality with on-trend design. A customer favourite, they're the perfect finishing touch for any bathroom.

Staverton - Tube on Tube - Straight Gloss White							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	139	260	150W	A, A+, B, D, E, F, G	41.0190	231.00	277.20
600 x 500mm	166	310	150W	A, A+, B, D, E, F, G	41.0193	251.00	301.20
600 x 600mm	193	358	300W	A, A+, B, D, E, F, G	41.0196	273.00	327.60
1200 x 400mm	244	467	300W	A, A+, B, D, E, F, G	41.0191	372.00	446.40
1200 x 500mm	295	556	450W	A, A+, B, D, E, F, G	41.0194	387.00	464.40
1200 x 600mm	332	626	450W	A, A+, B, D, E, F, G	41.0197	425.00	510.00
1800 x 400mm	373	702	600W	A, A+, B, D, E, F, G	41.0192	535.00	642.00
1800 x 500mm	457	866	600W	A, A+, B, D, E, F, G	41.0195	562.00	674.40
1800 x 600mm	515	975	750W	A, A+, B, D, E, F, G	41.0198	620.00	744.00

Staverton - Tube on Tube - Brushed Brass							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	252	482	300W	A, A+, B, D, E, F, G	41.0375	893.00	1071.60
1200 x 600mm	290	555	300W	A, A+, B, D, E, F, G	41.0376	966.00	1159.20

* Further heat output information available on eastbrooktrade.com **E&O A**

- FEATURES**
- 68 x 12mm. horizontal bars
 - Rear fixing wall brackets
 - Tested to BS EN 442 standards
 - Can be single or dual fuel, or all electric
 - Comes with same colour blanking plug & bleed valve (brushed brass finish only)
 - 5 Year manufacturer's warranty*
 - * With conditions

Technical Tables & Drawings
Page 390-391

Staverton - Tube on Tube - Straight Chrome							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	90	172	150W	A, A+, B, D, E, F, G	41.0181	401.00	481.20
600 x 500mm	91	175	150W	A, A+, B, D, E, F, G	41.0184	437.00	524.40
600 x 600mm	127	237	150W	A, A+, B, D, E, F, G	41.0187	476.00	571.20
600 x 1000mm	253*	485*	300W	A, A+, B, D, E, F, G	41.0333	587.00	704.40
600 x 1200mm	217	405	300W	A, A+, B, D, E, F, G	41.0334	607.00	728.40
800 x 1000mm	200	389	450W	A, A+, B, D, E, F, G	41.0335	678.00	813.60
800 x 1200mm	272	508	450W	A, A+, B, D, E, F, G	41.0336	766.00	919.20
1200 x 400mm	146	283	300W	A, A+, B, D, E, F, G	41.0182	685.00	822.00
1200 x 500mm	177	337	300W	A, A+, B, D, E, F, G	41.0185	721.00	865.20
1200 x 600mm	215	412	300W	A, A+, B, D, E, F, G	41.0188	790.00	948.00
1800 x 400mm	227	437	450W	A, A+, B, D, E, F, G	41.0183	958.00	1149.60
1800 x 500mm	243	470	450W	A, A+, B, D, E, F, G	41.0186	1010.00	1212.00
1800 x 600mm	306	584	600W	A, A+, B, D, E, F, G	41.0189	1179.00	1414.80

* Further heat output information available on eastbrooktrade.com **E&O A**

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

Designer Range

STAVERTON - TUBE ON TUBE - CURVED

The Staverton Tube on Tube Curved allows the hanging of larger, fluffier towels for the ultimate luxury.


Staverton - Tube on Tube - Curved Chrome							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	100	190	150W	A, A+, B, D, E, F, G	41.0232	387.00	464.40
600 x 600mm	110	207	150W	A, A+, B, D, E, F, G	41.0233	425.00	510.00
1200 x 500mm	191	365	300W	A, A+, B, D, E, F, G	41.0234	678.00	813.60
1200 x 600mm	212	404	450W	A, A+, B, D, E, F, G	41.0235	743.00	891.60
1800 x 500mm	291	560	450W	A, A+, B, D, E, F, G	41.0236	962.00	1154.40
1800 x 600mm	318	613	600W	A, A+, B, D, E, F, G	41.0237	1060.00	1272.00

FEATURES

- 42 x 14mm. horizontal bars
 - Rear fixing wall brackets
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 392-393



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5

Year

Heating

All Electric

Dual-Fuel

BIAVA CORINIUM

The Corinium rail is a contemporary unique design with a practical built in heated towel rail shelf at the top for stacking those larger towels. It's projection from the wall is 225mm.

Biava Corinium - Chrome							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	121	231	150W	A, A+, C, E, H	41.0222	294.00	352.80
1200 x 600mm	135	254	150W	A, A+, C, E, H	41.0224	306.00	367.20

FEATURES

- Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 392-393



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 100mm less than the width of the rail. Price includes radiator and wall fixing sets, valves extra. Projection from wall 225mm.

Warranty

5

Year

Heating

All Electric

Dual-Fuel

Designer Range

DEFFORD

Chrome




Pictured 89.1303 Chrome

Bar Dimensions (mm)

Horizontal Bars 40 x 10mm
Vertical Bars 40 x 30mm

Matt Black



Pictured 89.1294 Matt Black



SWATCHES AVAILABLE

Rear fixing metal wall brackets

Defford has been specifically designed to give maximum space for your towels and can produce enough warmth to heat a bathroom.

FEATURES

- 40 x 10mm. horizontal bars with 40 x 30mm. vertical D profile
 - Tested to BS EN 442 standards
 - Rear fixing metal wall brackets
 - 5 colours available from stock
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings
Page 392-393

<p>Warranty</p> <p>5</p> <p>Year</p>	<p>Heating</p>
<p>All Electric</p>	<p>Dual-Fuel</p>

Designer Range

DEFFORD

Defford Towel Rail - Gloss White							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	169	322	150W	A, A+, B, D, E, F, G	89.1274	124.00	148.80
800 x 600mm	195	371	150W	A, A+, B, D, E, F, G	89.1275	138.00	165.60
1200 x 500mm	252	479	300W	A, A+, B, D, E, F, G	89.1276	197.00	236.40
1200 x 600mm	291	553	450W	A, A+, B, D, E, F, G	89.1277	223.00	267.60
1800 x 500mm	374	710	600W	A, A+, B, D, E, F, G	89.1278	276.00	331.20
1800 x 600mm	432	819	600W	A, A+, B, D, E, F, G	89.1279	303.00	363.60

Defford Towel Rail - Matt Grey							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	169	322	150W	A, A+, B, D, E, F, G	89.1280	124.00	148.80
800 x 600mm	195	371	150W	A, A+, B, D, E, F, G	89.1281	138.00	165.60
1200 x 500mm	252	479	300W	A, A+, B, D, E, F, G	89.1282	197.00	236.40
1200 x 600mm	291	553	450W	A, A+, B, D, E, F, G	89.1283	223.00	267.60
1800 x 500mm	374	710	600W	A, A+, B, D, E, F, G	89.1284	276.00	331.20
1800 x 600mm	432	819	600W	A, A+, B, D, E, F, G	89.1285	303.00	363.60

Defford Towel Rail - Chrome							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	102	198	150W	A, A+, B, D, E, F, G	89.1298	182.00	218.40
800 x 600mm	117	226	150W	A, A+, B, D, E, F, G	89.1299	205.00	246.00
1200 x 500mm	151	293	150W	A, A+, B, D, E, F, G	89.1300	322.00	386.40
1200 x 600mm	173	335	150W	A, A+, B, D, E, F, G	89.1301	359.00	430.80
1800 x 500mm	225	438	300W	A, A+, B, D, E, F, G	89.1302	461.00	553.20
1800 x 600mm	258	501	300W	A, A+, B, D, E, F, G	89.1303	525.00	630.00

Defford Towel Rail - Matt Anthracite							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	169	322	150W	A, A+, B, D, E, F, G	89.1286	124.00	148.80
800x600mm	195	371	150W	A, A+, B, D, E, F, G	89.1287	138.00	165.60
1200x500mm	252	479	300W	A, A+, B, D, E, F, G	89.1288	197.00	236.40
1200x600mm	291	553	450W	A, A+, B, D, E, F, G	89.1289	223.00	267.60
1800x500mm	374	710	600W	A, A+, B, D, E, F, G	89.1290	276.00	331.20
1800x600mm	432	819	600W	A, A+, B, D, E, F, G	89.1291	303.00	363.60



Defford Towel Rail - Matt Black							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	169	322	150W	A, A+, B, D, E, F, G	89.1292	124.00	148.80
800x600mm	195	371	150W	A, A+, B, D, E, F, G	89.1293	138.00	165.60
1200x500mm	252	479	300W	A, A+, B, D, E, F, G	89.1294	197.00	236.40
1200x600mm	291	553	450W	A, A+, B, D, E, F, G	89.1295	223.00	267.60
1800x500mm	374	710	600W	A, A+, B, D, E, F, G	89.1296	276.00	331.20
1800x600mm	432	819	600W	A, A+, B, D, E, F, G	89.1297	303.00	363.60

D Shape Vent Caps Page 369



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Designer Range

STAVERTON

Rear fixing metal wall brackets (only for brushed brass colour)



High quality PVD coating

Pictured 41.0373 Brushed Brass

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

Warranty
5
Year

Heating

All Electric

Dual-Fuel



Pictured 41.0131 Chrome

Bar Dimensions (mm)

Horizontal Bars 42 x 14mm
Vertical Bars 40 x 30mm

A modern style towel rail with horizontal flat bars, that still allows maximum space for keeping your towels warm.

FEATURES

- 42 x 14mm. horizontal bars
 - Tested to BS EN 442 standards
 - Comes in chrome, brushed brass or white finish
 - Can be single or dual fuel, or all electric
 - Comes with same colour blanking plug & bleed valve (brushed brass colour only)
 - 5 Year manufacturer's warranty*
- * With conditions

Technical Tables & Drawings

Page 392-393



Staverton - Brushed Brass

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	226	433	300W	A, A+, B, D, E, F, G	41.0373	598.00	717.60
1200 x 600mm	281	539	300W	A, A+, B, D, E, F, G	41.0374	644.00	772.80

Staverton - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	113	213	150W	A, A+, B, D, E, F, G	41.0136	125.00	150.00
600 x 500mm	136	257	150W	A, A+, B, D, E, F, G	41.0139	136.00	163.20
600 x 600mm	159	299	150W	A, A+, B, D, E, F, G	41.0142	146.00	175.20
1200 x 400mm	217	411	300W	A, A+, B, D, E, F, G	41.0137	203.00	243.60
1200 x 500mm	261	495	300W	A, A+, B, D, E, F, G	41.0140	217.00	260.40
1200 x 600mm	304	576	450W	A, A+, B, D, E, F, G	41.0143	239.00	286.80
1800 x 400mm	325	621	450W	A, A+, B, D, E, F, G	41.0138	280.00	336.00
1800 x 500mm	391	748	600W	A, A+, B, D, E, F, G	41.0141	305.00	366.00
1800 x 600mm	455	871	600W	A, A+, B, D, E, F, G	41.0144	334.00	400.80

Staverton - Chrome

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	67	129	100W	A, A+, B, D, E, F, G	41.0127	215.00	258.00
600 x 500mm	80	153	150W	A, A+, B, D, E, F, G	41.0130	248.00	297.60
600 x 600mm	93	174	150W	A, A+, B, D, E, F, G	41.0133	258.00	309.60
1200 x 400mm	141	268	150W	A, A+, B, D, E, F, G	41.0128	372.00	446.40
1200 x 500mm	166	316	300W	A, A+, B, D, E, F, G	41.0131	412.00	494.40
1200 x 600mm	187	371	300W	A, A+, B, D, E, F, G	41.0134	451.00	541.20
1800 x 400mm	212	400	300W	A, A+, B, D, E, F, G	41.0129	529.00	634.80
1800 x 500mm	250	472	450W	A, A+, B, D, E, F, G	41.0132	585.00	702.00
1800 x 600mm	289	540	600W	A, A+, B, D, E, F, G	41.0135	649.00	778.80

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 369



Designer Range

MEZZO TONDO



Pictured 41.0248 Chrome

The curves on this rail allow maximum space for the whole family to warm towels easily, without compromising on space in the room due to the slimline design.

Mezzo Tondo - Chrome							
Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 320mm Chrome	238	453	N/A	N/A	41.0248	481.00	577.20

FEATURES

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 394-395



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 286mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 369



Warranty

5

Year

Heating

PESARO



Pictured 41.0328 Chrome

A designer towel rail that allows the hanging of up to six towels at once. This statement piece has a unique design for those who want to make a bold statement.

Pesaro - Chrome							
Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1005 x 550mm	111	212	150W	A, A+, B, D, E, F, G	41.0328	478.00	573.60

FEATURES

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 394-395



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 80mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 369



Warranty

5

Year

Heating

All Electric

Dual-Fuel

Designer Range

SANTERO



Pictured 89.1327 Chrome

Bar Dimensions (mm)

Horizontal Bars 75 x 15mm

Vertical Bars 40 x 30mm



Pictured 89.1307 Gloss White

Rear fixing metal wall brackets

Warranty
5
Year

Heating

All Electric

Dual-Fuel

An admired design in the Designer Range, Santero, has even wider horizontal flat bars than Defford or Staverton. Warmth has never been this easy to achieve. Grab your wet towels and use Santero Towel Rail to feel the constant warmth.

FEATURES

- 75 x 15mm. horizontal bars and 40 x 30mm. vertical D profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 4 colours available from stock
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 394-395



Designer Range

SANTERO

Santerio Towel Rail - Gloss White							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	181	342	150W	A, A+, B, D, E, F, G	89.1304	241.00	289.20
800 x 600mm	214	405	150W	A, A+, B, D, E, F, G	89.1305	283.00	339.60
1200 x 500mm	266	504	300W	A, A+, B, D, E, F, G	89.1306	311.00	373.20
1200 x 600mm	315	597	300W	A, A+, B, D, E, F, G	89.1307	364.00	436.80
1800 x 500mm	392	742	450W	A, A+, B, D, E, F, G	89.1308	431.00	517.20
1800 x 600mm	464	879	600W	A, A+, B, D, E, F, G	89.1309	503.00	603.60




Santerio Towel Rail - Matt Black							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	181	342	150W	A, A+, B, D, E, F, G	89.1316	241.00	289.20
800 x 600mm	214	405	150W	A, A+, B, D, E, F, G	89.1317	283.00	339.60
1200 x 500mm	266	504	300W	A, A+, B, D, E, F, G	89.1318	311.00	373.20
1200 x 600mm	315	597	300W	A, A+, B, D, E, F, G	89.1319	364.00	436.80
1800 x 500mm	392	742	450W	A, A+, B, D, E, F, G	89.1320	431.00	517.20
1800 x 600mm	464	879	600W	A, A+, B, D, E, F, G	89.1321	503.00	603.60

Santerio Towel Rail - Matt Anthracite							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	181	342	150W	A, A+, B, D, E, F, G	89.1310	241.00	289.20
800 x 600mm	214	405	150W	A, A+, B, D, E, F, G	89.1311	283.00	339.60
1200 x 500mm	266	504	300W	A, A+, B, D, E, F, G	89.1312	311.00	373.20
1200 x 600mm	315	597	300W	A, A+, B, D, E, F, G	89.1313	364.00	436.80
1800 x 500mm	392	742	450W	A, A+, B, D, E, F, G	89.1314	431.00	517.20
1800 x 600mm	464	879	600W	A, A+, B, D, E, F, G	89.1315	503.00	603.60

Santerio Towel Rail - Chrome							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	101	196	150W	A, A+, B, D, E, F, G	89.1322	324.00	388.80
800 x 600mm	117	228	150W	A, A+, B, D, E, F, G	89.1323	378.00	453.60
1200 x 500mm	152	295	150W	A, A+, B, D, E, F, G	89.1324	392.00	470.40
1200 x 600mm	177	343	150W	A, A+, B, D, E, F, G	89.1325	459.00	550.80
1800 x 500mm	227	436	300W	A, A+, B, D, E, F, G	89.1326	531.00	637.20
1800 x 600mm	263	507	450W	A, A+, B, D, E, F, G	89.1327	622.00	746.40

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Radiator Valves
Page 350-365



D Shape Vent Caps
Page 369



Designer Range

HURLEY

Chrome




Bar Dimensions (mm)

Horizontal Bars 40 x 10mm
Vertical Bars 30 x 30mm

Pictured 89.0568 Chrome

Matt Anthracite

Rear fixing metal wall brackets



Pictured 89.0550 Matt Anthracite

Can be reverse handed
(Left or Right)

A modern, versatile towel rail. Available in 6 colours with reversible installation possibility.

FEATURES

- 40 x 10mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 6 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions



Warranty

5

Year

Heating

All Electric

Dual-Fuel


Designer Range

HURLEY

Hurley Towel Rail - Chrome							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	92	186	150W	A, A+, B, D, E, F, G	89.0566	327.00	392.40
800 x 600mm	103	208	150W	A, A+, B, D, E, F, G	89.0567	367.00	440.40
1000 x 500mm	115	232	100W	A, A+, B, D, E, F, G	89.1727	395.00	474.00
1000 x 600mm	129	260	100W	A, A+, B, D, E, F, G	89.1728	443.00	531.60
1200 x 500mm	138	278	150W	A, A+, B, D, E, F, G	89.0568	453.00	543.60
1200 x 600mm	155	311	150W	A, A+, B, D, E, F, G	89.0569	507.00	608.40
1500 x 500mm	172	344	150W	A, A+, B, D, E, F, G	89.1739	548.00	657.60
1500 x 600mm	192	386	150W	A, A+, B, D, E, F, G	89.1740	612.00	734.40
1800 x 500mm	204	408	300W	A, A+, B, D, E, F, G	89.0570	626.00	751.20
1800 x 600mm	229	457	300W	A, A+, B, D, E, F, G	89.0571	699.00	838.80





Hurley Towel Rail - Matt Anthracite							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	145	289	150W	A, A+, B, D, E, F, G	89.0548	258.00	309.60
800x600mm	163	324	150W	A, A+, B, D, E, F, G	89.0549	291.00	349.20
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1723	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1724	353.00	423.60
1200x500mm	219	432	300W	A, A+, B, D, E, F, G	89.0550	356.00	427.20
1200x600mm	245	485	300W	A, A+, B, D, E, F, G	89.0551	398.00	477.60
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1735	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1736	461.00	553.20
1800x500mm	325	639	450W	A, A+, B, D, E, F, G	89.0552	453.00	543.60
1800x600mm	365	718	600W	A, A+, B, D, E, F, G	89.0553	507.00	608.40

**Technical Tables
& Drawings**
Page 394-395



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 60mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Designer Range

HURLEY

Matt Black



Pictured 89.1716 Matt Black

Bar Dimensions (mm)

Horizontal Bars 40 x 10mm
Vertical Bars 30 x 30mm

Matt White

Rear fixing metal wall brackets



Pictured 89.1729 Matt White

Can be reverse handed
(Left or Right)

A modern, versatile towel rail. Available in 6 colours with reversible installation possibility.

FEATURES

- 40 x 10mm. horizontal bars and 30 x 30mm. vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 6 colours available from stock
- Can be reverse handed (left or right)
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 394-395



Warranty
5
Year

Heating

All Electric

Dual-Fuel

Designer Range

HURLEY

Hurley Towel Rail - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	145	289	150W	A, A+, B, D, E, F, G	89.0542	258.00	309.60
800 x 600mm	163	324	150W	A, A+, B, D, E, F, G	89.0543	291.00	349.20
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1717	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1718	353.00	423.60
1200 x 500mm	219	432	300W	A, A+, B, D, E, F, G	89.0544	356.00	427.20
1200 x 600mm	245	485	300W	A, A+, B, D, E, F, G	89.0545	398.00	477.60
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1729	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1730	461.00	553.20
1800 x 500mm	325	639	450W	A, A+, B, D, E, F, G	89.0546	453.00	543.60
1800 x 600mm	365	718	600W	A, A+, B, D, E, F, G	89.0547	507.00	608.40

Hurley Towel Rail - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	145	289	150W	A, A+, B, D, E, F, G	89.0554	258.00	309.60
800 x 600mm	163	324	150W	A, A+, B, D, E, F, G	89.0555	291.00	349.20
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1719	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1720	353.00	423.60
1200 x 500mm	219	432	300W	A, A+, B, D, E, F, G	89.0556	356.00	427.20
1200 x 600mm	245	485	300W	A, A+, B, D, E, F, G	89.0557	398.00	477.60
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1731	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1732	461.00	553.20
1800 x 500mm	325	639	450W	A, A+, B, D, E, F, G	89.0558	453.00	543.60
1800 x 600mm	365	718	600W	A, A+, B, D, E, F, G	89.0559	507.00	608.40

Hurley Towel Rail - Matt Cappuccino

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	145	289	150W	A, A+, B, D, E, F, G	89.0560	284.00	340.80
800 x 600mm	163	324	150W	A, A+, B, D, E, F, G	89.0561	317.00	380.40
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1721	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1722	353.00	423.60
1200 x 500mm	219	432	300W	A, A+, B, D, E, F, G	89.0562	389.00	466.80
1200 x 600mm	245	485	300W	A, A+, B, D, E, F, G	89.0563	436.00	523.20
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1733	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1734	461.00	553.20
1800 x 500mm	325	639	450W	A, A+, B, D, E, F, G	89.0564	496.00	595.20
1800 x 600mm	365	718	600W	A, A+, B, D, E, F, G	89.0565	555.00	666.00

Hurley Towel Rail - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	145	289	150W	A, A+, B, D, E, F, G	89.1711	258.00	309.60
800 x 600mm	163	324	150W	A, A+, B, D, E, F, G	89.1712	291.00	349.20
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1725	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1726	353.00	423.60
1200 x 500mm	219	432	300W	A, A+, B, D, E, F, G	89.1713	356.00	427.20
1200 x 600mm	245	485	300W	A, A+, B, D, E, F, G	89.1714	398.00	477.60
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1737	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1738	461.00	553.20
1800 x 500mm	325	639	450W	A, A+, B, D, E, F, G	89.1715	453.00	543.60
1800 x 600mm	365	718	600W	A, A+, B, D, E, F, G	89.1716	507.00	608.40



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 60mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Designer Range

HELMSLEY

Rear fixing metal wall brackets



Pictured 89.0637 Matt Anthracite

Bar Dimensions (mm)


Horizontal Bars 70 x 11mm
Vertical Bars 30 x 30mm

Warranty
5
Year

Heating


All Electric


Dual-Fuel

Pictured 89.0616 Matt White

Eastbrook
The Radiator Colour Swatch
Your pick your radiator
 **SWATCHES AVAILABLE**

Can be reverse handed (Left or Right)

One of the most popular models in the Designer Range. Available in a variety of colours to suit any bathroom. The generous surface area of the horizontal bars will let you experience the warmth. Helmsley is also reversible whilst fitting on the wall.

FEATURES

- 72 x 11mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 4 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings
Page 396-397



Round Vent Caps
Page 369



Designer Range

HELMSLEY

Helmsley Towel Rail - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	183	347	300W	A, A+, B, D, E, F, G	89.0614	284.00	340.80
800 x 600mm	212	403	300W	A, A+, B, D, E, F, G	89.0615	314.00	475.20
1150 x 500mm	250	480	300W	A, A+, B, D, E, F, G	89.0616	392.00	470.40
1150 x 600mm	289	556	450W	A, A+, B, D, E, F, G	89.0617	436.00	523.20
1400 x 500mm	300	581	450W	A, A+, B, D, E, F, G	89.0618	426.00	511.20
1400 x 600mm	347	673	600W	A, A+, B, D, E, F, G	89.0619	474.00	568.80
1640 x 500mm	350	684	600W	A, A+, B, D, E, F, G	89.0620	460.00	552.00
1640 x 600mm	405	793	600W	A, A+, B, D, E, F, G	89.0621	516.00	619.20

Helmsley Towel Rail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	183	347	300W	A, A+, B, D, E, F, G	89.0630	284.00	340.80
800 x 600mm	212	403	300W	A, A+, B, D, E, F, G	89.0631	314.00	376.80
1150 x 500mm	250	480	300W	A, A+, B, D, E, F, G	89.0632	392.00	470.40
1150 x 600mm	289	556	450W	A, A+, B, D, E, F, G	89.0633	436.00	523.20
1400 x 500mm	300	581	450W	A, A+, B, D, E, F, G	89.0634	426.00	511.20
1400 x 600mm	347	673	600W	A, A+, B, D, E, F, G	89.0635	474.00	568.80
1640 x 500mm	350	684	600W	A, A+, B, D, E, F, G	89.0636	460.00	552.00
1640 x 600mm	405	793	600W	A, A+, B, D, E, F, G	89.0637	516.00	619.20

Helmsley Towel Rail - Matt Grey


Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	183	347	300W	A, A+, B, D, E, F, G	89.0622	284.00	340.80
800 x 600mm	212	403	300W	A, A+, B, D, E, F, G	89.0623	314.00	376.80
1150 x 500mm	250	480	300W	A, A+, B, D, E, F, G	89.0624	392.00	470.40
1150 x 600mm	289	556	450W	A, A+, B, D, E, F, G	89.0625	436.00	523.20
1400 x 500mm	300	581	450W	A, A+, B, D, E, F, G	89.0626	426.00	511.20
1400 x 600mm	347	673	600W	A, A+, B, D, E, F, G	89.0627	474.00	568.80
1640 x 500mm	350	684	600W	A, A+, B, D, E, F, G	89.0628	460.00	552.00
1640 x 600mm	405	793	600W	A, A+, B, D, E, F, G	89.0629	516.00	619.20

Helmsley Towel Rail - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	183	347	300W	A, A+, B, D, E, F, G	89.0638	284.00	340.80
800 x 600mm	212	403	300W	A, A+, B, D, E, F, G	89.0639	314.00	376.80
1150 x 500mm	250	480	300W	A, A+, B, D, E, F, G	89.0640	392.00	470.40
1150 x 600mm	289	556	450W	A, A+, B, D, E, F, G	89.0641	436.00	523.20
1400 x 500mm	300	581	450W	A, A+, B, D, E, F, G	89.0642	426.00	511.20
1400 x 600mm	347	673	600W	A, A+, B, D, E, F, G	89.0643	474.00	568.80
1640 x 500mm	350	684	600W	A, A+, B, D, E, F, G	89.0644	460.00	552.00
1640 x 600mm	405	793	600W	A, A+, B, D, E, F, G	89.0645	516.00	619.20

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Designer Range

PLATANI

Warranty

5
Year

Heating



All Electric



Dual-Fuel



SWATCHES AVAILABLE

Rear fixing metal wall brackets

Pictured 89.1355 Chrome

Bar Dimensions (mm)

Horizontal Bars 40 x 20mm
Vertical Bars 30 x 30mm



Pictured 89.1344 Matt Anthracite

Can be reverse handed
(Left or Right)

A stunning reversible style towel rail with evenly spaced horizontal bars. Available in 5 colours from stock including high quality chrome finish.

FEATURES

- 40 x 20mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 5 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 396-397



Round Vent Caps

Page 369



Designer Range

PLATANI

Platani Towel Rail - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	142	270	150W	A, A+, B, D, E, F, G	89.1328	207.00	248.40
800 x 600mm	163	309	150W	A, A+, B, D, E, F, G	89.1329	231.00	277.20
1150 x 500mm	195	371	150W	A, A+, B, D, E, F, G	89.1330	285.00	342.00
1150 x 600mm	223	425	150W	A, A+, B, D, E, F, G	89.1331	321.00	385.20
1800 x 500mm	291	557	450W	A, A+, B, D, E, F, G	89.1332	361.00	433.20
1800 x 600mm	334	639	450W	A, A+, B, D, E, F, G	89.1333	404.00	484.80

Platani Towel Rail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	142	270	150W	A, A+, B, D, E, F, G	89.1340	207.00	248.40
800 x 600mm	163	309	150W	A, A+, B, D, E, F, G	89.1341	231.00	277.20
1150 x 500mm	195	371	150W	A, A+, B, D, E, F, G	89.1342	285.00	342.00
1150 x 600mm	223	425	150W	A, A+, B, D, E, F, G	89.1343	321.00	385.20
1800 x 500mm	291	557	450W	A, A+, B, D, E, F, G	89.1344	361.00	433.20
1800 x 600mm	334	639	450W	A, A+, B, D, E, F, G	89.1345	404.00	484.80

Platani Towel Rail - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	142	270	150W	A, A+, B, D, E, F, G	89.1334	207.00	248.40
800 x 600mm	163	309	150W	A, A+, B, D, E, F, G	89.1335	231.00	277.20
1150 x 500mm	195	371	150W	A, A+, B, D, E, F, G	89.1336	285.00	342.00
1150 x 600mm	223	425	150W	A, A+, B, D, E, F, G	89.1337	321.00	385.20
1800 x 500mm	291	557	450W	A, A+, B, D, E, F, G	89.1338	361.00	433.20
1800 x 600mm	334	639	450W	A, A+, B, D, E, F, G	89.1339	404.00	484.80

Platani Towel Rail - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	142	270	150W	A, A+, B, D, E, F, G	89.1346	207.00	248.40
800 x 600mm	163	309	150W	A, A+, B, D, E, F, G	89.1347	231.00	277.20
1150 x 500mm	195	371	150W	A, A+, B, D, E, F, G	89.1348	285.00	342.00
1150 x 600mm	223	425	150W	A, A+, B, D, E, F, G	89.1349	321.00	385.20
1800 x 500mm	291	557	450W	A, A+, B, D, E, F, G	89.1350	361.00	433.20
1800 x 600mm	334	639	450W	A, A+, B, D, E, F, G	89.1351	404.00	484.80

Platani Towel Rail - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	88	171	100W	A, A+, B, D, E, F, G	89.1352	264.00	316.80
800 x 600mm	101	195	100W	A, A+, B, D, E, F, G	89.1353	297.00	356.40
1150 x 500mm	122	236	150W	A, A+, B, D, E, F, G	89.1354	364.00	436.80
1150 x 600mm	139	270	150W	A, A+, B, D, E, F, G	89.1355	409.00	490.80
1800 x 500mm	184	358	150W	A, A+, B, D, E, F, G	89.1356	507.00	608.40
1800 x 600mm	210	409	300W	A, A+, B, D, E, F, G	89.1357	566.00	679.20

Radiator Valves

Page 350-365



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm and approx. 80mm off the wall. Projection from wall is 115mm. Price includes radiator and wall fixing sets, valves extra.

