



Upgrade to the new DT4 Room thermostat



Imagine a room thermostat...



...with a slim and modern design to give any home an elegant finish...



...that is designed for compatibility - making it fit for a variety for homes and applications...



...that makes it easy to upgrade from a mechanical to digital thermostat

And save your customers up to 10% on their heating bill

* Source BEAMA: <https://www.beama.org.uk/resourceLibrary/winter-2022-23-fuel-bills-savings-using-heating-controls.html>

© 2023 Resideo Technologies, Inc. All rights reserved.
The Honeywell Home trademark is used under license from Honeywell International Inc.
This product is manufactured by Resideo Technologies, Inc. and its affiliates.

FROM
resideo








R200 Carbon Monoxide Detector

-  Red "ALARM" for the deaf or hearing-impaired
-  10 year lifespan
-  Tamper-proof
-  Super slim design
-  Maintenance free operation



Cat No.	Description
R200C-1	Stand Alone CO Alarm
R200C N1	Inter Connected CO Alarm
R200H N1	Inter Connected Heat Alarm
R200S 1	Stand Alone Smoke Alarm
R200S N1	Inter Connected smoke Alarm
R200ST N1	Inter Connected Smoke/Heat Alarm

T6R Engineered for comfort

-  Touch-screen interface offers easy and optimal heating adjustment
-  Access via a mobile device lets customers have complete control, anytime, anywhere
-  Smart automated boiler control delivers better performance and superior energy efficiency
-  Pre-configured scheduling gives customers a choice of settings to suit their need
-  Location-based programming (geo-fencing) an additional automated layer of control, adjusting the customer's home heating based on their location



T6R Smart Programmable Thermostat

Cat No.	Description
Y6H920RW5031	T6R - Smart, Touch Screen, App Control, Wall Mounted
Y6H920RW4026	T6R - Smart, Touch Screen, App Control, Table Stand



L5 Wi-Fi Actuator

Cat No.	Description
VWS02Y015W	L5 - Wi-Fi Actuator 1/2" Ball Valve
VWS02Y020W	L5 - Wi-Fi Actuator 3/4" Ball Valve



T4 Series Effortless Temperature Control


Cat No.	Description
T4H110A1021	T4 - Wired, 7 Day, 5/2 Day Programmable Thermostat
Y4H910RF4003	T4R - Wireless RF, 7 Day, 5/2 Day Programmable Thermostat
T4H310A3032	T4M - Wired Open Therm, 7 Day, 5/2 Day Programmable Thermostat



T3 Series Effortless Temperature Control

Cat No.	Description
T3H110A0066	T3 Wired Programmable Thermostat
T3H310A0045	T3M Wired Open Therm Programmable Thermostat
Y3H710RF0053	T3R Wireless Programmable Thermostat





evohome Smart Home Controls

Cat No.	Description	Erp Class
ATP921R3100	evohome Wi-Fi Connected Thermostat Pack	VIII 5%
ATP926G3001	evohome Essentials Pack	VIII 5%
HR92UK	evohome Radiator Controller	
HR924UK	evohome Radiator Multizone	
HR914	evohome Radiator Multizone (Without LCD Screen)	
ATF500DHW	evohome Hot Water Kit	
ATF800	evohome Desk Stand	
ATF600	evohome Wall Mount Kit	
R8810A1018	Open Therm Bridge	
ATC928G3000	evohome Controller (Table Stand Not Included)	VIII 5%

Underfloor Heating

Cat No.	Description
MT4-230-NC	230V Actuator Heads

Thermostats Wired and Wireless

Cat No.	Description	Erp Class
DT40WT20	DT4 Wired Digital Stat	
DT41SPMWT30	Wired Modulating Room Thermostat	
YT42WRFT20	DT4R Wireless Digital Stat	
YT43MRFWT30	Wireless Modulating Room Thermostat	
L6188A2036U	Single Aquastat 70-140°C With Well	
L6188C2008U	Single Limit Aquastat 70-140°C Without Well + MR + 1.5m cap	
L641A1039	Cylinder Stat 40-80°C (Y & S Plan Cylinder/Stat)	
L641B1004	Pipe Stat Low Limit 10-40°C With Tamperproof Cover	
L641B1012	Pipe Stat SPDT 50-95°C high limit With Tamperproof Cover	
T4360A1009	Frost Thermostat SPST 3-25°C	
T6360B1028	Room Stat SPDT 10-30°C 10A (Y & S Plan Room/Stat)	I 1%
T6360B1036	Room Stat SPDT With Neon Indicator Lamp	I 1%
T6360B1069	Tamperproof Room Stat SPDT 2 Amp	

Programmable & Timers Heating & Hot Water Control

Cat No.	Description
ST9100C1006	7 Day Timer, Volt Free Relay, Holiday Mode
ST9400C1000	7 Day 2 Channel Programmer, Holiday Mode
ST9500C1015	7 Day 2 Zone Programmer, Large LCD, Holiday Mode



ST9400

Installer Pack

Cat No.	Description
V4043H1056/TW	Twin Pack 2 Port Valve 22mm



Wireless Sundial RF2 Control Packs

Cat No.	Description	Erp Class
Y9120H2009	Pk 1 - 1 ch. Heating Pack - ST9120C + DT92E	IV 2%
Y9420H1008	Pk 2 - 2 ch. Heating Pack - ST9420C + DT92E	IV 2%
Y9420S2005	Pk 3 - 2 ch. System Pack ST9420C + DT92E + CS92A	V 3%
Y9120W1000	Pk 4 - 1 ch. HW Pack ST9120C + CS92	
Y9520Z1007	Pk 5 - 2 Zone Pack ST9520C + 2xDT92	V 3%



Y9420S2005

Motorised Valves and Valve Spares

Cat No.	Description
V4043H1056/U	2 Port Zone Valve 22mm SRC 5 Wire, S Plan Valve
V4043H1106/U	2 Port Zone Valve 28mm SRC 6 Wire
V4044C1288/U	Diverter Valve 22mm 3 Wire 3 Port
V4073A1039/U	Mid-Position Valve 22mm 3 Port, Y Plan Valve
V4073A1088/U	Mid-Position Valve 28mm 3 Port
40001011-002/U	Synchron Motor 24V Spare For V4043/V4073 Valves
40002737-003/U	Synchron Motor 240V For V4044C, V4073A & V4043H
40003916-001/U	V4043H Replacement Power Head
40003916-002/U	V4044C Replacement Power Head
40003916-003/U	V4073A Replacement Power Head
40003918-006/U	Sealing Plate & Ball For V4043H Valves
40003918-007/U	Sealing Plate & Ball For V4044C & V4073A Valves



V4043



V4073



V4073A



HR92UK

HR91

evohome Radiator Controller

Cat No.	Description
HR92UK	evohome Radiator Controller
HR924UK	evohome Radiator Multizone
HR914	evohome Radiator Multizone

Classic TRV and Lockshield



VTL200

Cat No.	Description
T4021GB	TRV Fixed Head For VT200E Classic Chrome
VT200-15A	Classic TRV 15mm Angled Body
VT200-15S	Classic TRV 15mm Straight Body
VTL200-08A	Classic TRV + Lockshield: 8mm Angled Body
VTL200-10A	Classic TRV + Lockshield: 10mm Angled Body
VTL200-10S	Classic TRV + Lockshield: 10mm Straight Body
VTL200-15A	Classic TRV + Lockshield: 15mm Angled Body
VTL200-15A-D	Classic TRV + Lockshield: 1 x Drain-off Tail Piece, 15mm Angled Body
VTL200-15A-DP	Classic TRV + Lockshield: 1 x Drain-off Tail Piece, 2 x 10mm Push Fittings, 15mm Angled Body
VTL200-15A-P	Classic TRV + Lockshield: 2 x 10mm Push Fittings, 15mm Angled Body
VTL200-15S	Classic TRV + Lockshield: 15mm Straight Body
VTL200-15S-D	Classic TRV + Lockshield: 1 x Drain-off Tail Piece, 15mm Straight Body
VTL200-15S-DP	Classic TRV + Lockshield: 1 x Drain-off Tail Piece, 2 x 10mm Push Fittings, 15mm Straight Body
VTL200-15S-P	Classic TRV + Lockshield: 2 x 10mm Push Fittings, 15mm Straight Body

Traditional TRV



VTL120

Cat No.	Description
T1001WOGB	TRV Fixed Head for VT117E was T100-353
VT117-15A	Traditional TRV 15mm Angled Body
VT117-15S	Traditional TRV 15mm Straight Body
VTL120-08A	Traditional TRV + Lockshield: 8mm Angled Body
VTL120-08S	Traditional TRV + Lockshield: 8mm Straight Body
VTL120-10A	Traditional TRV + Lockshield: 10mm Angled Body
VTL120-10S	Traditional TRV + Lockshield: 10mm Straight Body
VTL120-15A	Traditional TRV + Lockshield: 15mm Angled Body
VTL120-15A-D	Traditional TRV + Lockshield: 1 x Drain-off Tail Piece, 15mm Angled Body
VTL120-15A-DP	Traditional TRV + Lockshield: 1 x Drain-off Tail Piece, 2 x 10mm Push Fittings, 15mm Angled Body
VTL120-15A-P	Traditional TRV + Lockshield: 2 x 10mm Push Fittings, 15mm Angled Body
VTL120-15S	Traditional TRV + Lockshield: 15mm Straight Body
VTL120-15S-D	Traditional TRV + Lockshield: 1 x Drain-off Tail Piece, 15mm Straight Body
VTL120-15S-DP	Traditional TRV + Lockshield: 1 x Drain-off Tail Piece, 2 x 10mm Push Fittings, 15mm Straight Body
VTL120-15S-P	Traditional TRV + Lockshield: 2 x 10mm Push Fittings, 15mm Straight Body

Value TRV

Cat No.	Description
Thermostatic Radiator Valves	
VTL15-15A	Traditional TRV; + Lockshield 15mm
VT15AG	Radiator Thermostatic Radiator Valve; Reversible Flow; Angled Body; 8mm
VT15BG	Radiator Thermostatic Radiator Valve; Reversible Flow; Angled Body; 10mm
VT15EG	Radiator Thermostatic Radiator Valve; Reversible Flow; Angled Body; 15mm



VTL15-15A

Manual Valve

Cat No.	Description
VHL120-08A	Manual Valve + Lockshield: 8mm Angled Body
VHL120-08S	Manual Valve + Lockshield: 8mm Straight Body
VHL120-10A	Manual Valve + Lockshield: 10mm Angled Body
VHL120-10S	Manual Valve + Lockshield: 10mm Straight Body
VHL120-15A	Manual Valve + Lockshield: 15mm Angled Body
VHL120-15A-D	Manual Valve + Lockshield: 1 x Drain-off Tail Piece; 15mm Angled Body
VHL120-15A-DP	Manual Valve + Lockshield: 1 x Drain-off Tail Piece; 2 x 10mm Push Fittings; 15mm Angled Body
VHL120-15A-P	Manual Valve + Lockshield: 2 x 10mm Push Fittings; 15mm Angled Body
VHL120-15S	Manual Valve + Lockshield: 15mm Straight Body
VHL120-15S-D	Manual Valve + Lockshield: 1 x Drain-off Tail Piece; 15mm Straight Body
VHL120-15S-DP	Manual Valve + Lockshield: 1 x Drain-off Tail Piece; 2 x 10mm Push Fittings; 15mm Straight Body
VHL120-15S-P	Manual Valve + Lockshield: 2 x 10mm Push Fittings; 15mm Straight Body



VHL120

Valves

Cat No.	Description
Thermostatic Mixing Valves	
TM200VP-3/4E	Thermostatic Mixing TMV3 Valve 15mm
TM200VP-3/4H	Thermostatic Mixing TMV3 Valve 22mm
Auto By-Pass Valves	
DU144A1001	Straight Automatic By-Pass Valve, 22mm Compression
DU145-3/4B	Angled Automatic By-Pass Valve, 22mm Compression
DU146-3/4E	Angled Automatic By-Pass Valve, 3/4" BSPF
DU146-11/4E	Angled Automatic By-Pass Valve, 1 1/4" BSPF
Pressure Reducing Valves	
D04FM-1/2ZGC	PRV 15mm Compression, 1.5 to 6 bar Outlet Range With Gauge



TM200VP

DU145

DU144

D04FM-1/2ZGC

Accessories

Cat No.	Description
42002116-002	Junction Box
42005748 001	Wiring Centre
EA122-AB	Auto Air Vent 1/8" - 3/8" with 1/2" Adaptor
TG510A1001/U	Universal Thermostat Guard (Small)
TG511A1000/U	Universal Thermostat Guard (Large)



42002116-002

EA122-AB