

WAVE COLLECTION



SPRING 2026



Lakes is a premier brand within the UK market for 40 years. Experts in designing and engineering shower enclosures, bathscreens and walk in panels for the UK market.

Our ambition is to provide shower enclosures and bathscreens that are not only beautiful but offer the very best day to day performance, suit a wide variety of bathroom styles and provide years and years of enjoyment.

Our products are fully tested to comply to all required safety and performance requirements; but being Lakes we go way beyond those tests. That's why we are so proud to provide a transparent and genuine lifetime guarantee on all our enclosures and bathscreens.

The difference is Lakes.

Attention to detail is important. The precision engineered Wave Collection strikes a perfect balance between function and stylish design. Designed in the UK for the UK including all the features and benefits, and more that you would expect from Lakes who have been producing the highest quality shower doors for almost 40 years. Each door is tested not only to comply with the required quality standards but far in excess, up to 30,000 opening and closing cycles in the case of our hinged and sliding doors.

Naturally every Wave door is covered by a 100% transferable lifetime guarantee.







Contents

Hinged Door with Inline Panels	06
Sliding Shower Doors	10
Hinged Shower Doors	14
Bifold Shower Doors	18
Quadrant Shower Doors	22
8mm Walk-in Panels	26
Bathscreens	30
Stone Resin Shower Trays	38
Shower Tray Waste Positions	42
Product Care	43
Lakes Guarantee	44

ICONS




6MM
TOUGHENED
SAFETY GLASS




8MM
TOUGHENED
SAFETY GLASS




LIFETIME
GUARANTEE




1500MM
HEIGHT




1950MM
HEIGHT




2000MM
HEIGHT



ALLCLEAR
GLASS
PROTECTION



REVERSIBLE
DESIGN



COLOUR
OPTIONS



Lakes is the first bathroom manufacturer in the world to have achieved B Corp certification.

The industry-first accreditation recognises Lakes' unwavering commitment to meeting the highest verified standards of sustainable practices throughout all of its operations, outstanding customer service, staff welfare, and active community support and participation.

Lakes ongoing commitment to meet the rigorous standards of social and environmental responsibility within B Corp, endorses our position as one of the UK's leading bathroom product manufacturers.

THE COLOUR IMPACT

The bathroom is one of the most used rooms in the home and the colour scheme accents can make all the difference to the user's happiness and aesthetic appeal of the bathroom.

Timeless silver/chrome, dramatic and bold black, subtle industrial brushed nickel and gun metal or the natural warmth of brushed brass will assist as you personalise the bathroom design.

Whichever colour – we are confident you'll achieve a great coordinating look with any number of branded brassware and accessory brands. All colours are produced to the most exacting production and quality standards, featuring super strong surfaces using anodising or PVD that are easy to clean, and are stain, UV, chemical and scratch resistant.



Showers are important and integral elements of our lives. So, when it comes to buying or replacing a showering space, it helps to know your choice is supported by the highest quality assurance, customer service and technical support.

Lakes' genuine **Lifetime Guarantee** covers all our shower doors, enclosures, bath screens and spare parts and is also fully transferable. So even if someone moves home, the new owner will still be covered for the lifetime of the product.

If you have a problem with any part of a Lakes product, we will sort it out, quickly. Our efficient customer service support means spare parts will most likely arrive the next day. Another reason why we're recommended by homeowners, stockists and installers across the UK.

For more information on the guarantee for shower trays please contact us directly.



Loyal, regular customers as well as those buying a Lakes product for the first time agree our products are 'excellent'. Lakes rating published via **Trust Pilot** is Excellent.



We are proud members of the **Bathroom Association** and collaborate with many other fellow companies to focus on raising quality standards, improving safety and compliance and sustainability by reducing our environmental impact – all helping shape the future growth of our industry and showering product sector.

LAKES ALLCLEAR®

The shower is often one of the most in-demand utilities in a busy household, which can make it hard to keep clean and looking good as new. **Lakes AllClear®** advanced glass coating is applied on both sides of the glass as standard and at no extra cost.

The science behind clear glass. The microscopic nanoparticles in the **Lakes AllClear®** innovative bonded coating fills the gaps in the naturally pitted surface of the glass to ensure water, limescale and soap scum simply slides off.

A simple wipe clean with a damp cloth of the specially treated glass keeps it looking like new, so your relaxing shower isn't spoiled by smears and smudges.

Lakes Glass with **AllClear®** is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

AllClear®

CARBON NEUTRAL & SUSTAINABLE

Lakes has taken steps to be certified Carbon Neutral by changing how we operate as a business. Naturally, we recycle all our product, site and office waste.

Our product packaging is 100% recyclable to offset the carbon emissions produced in the day-to-day running of our business by investing in environmental projects.

Lakes is proud to have been awarded the Carbon Footprint Standard and recognised as a Carbon Neutral Plus organisation.



QUALITY

Outstanding quality, performance and safety throughout. Lakes also regularly test products above and beyond mandatory standards, allowing us to offer a Lifetime guarantee.

Made from toughened safety glass, conforming to BS EN12150-1 (which is etched onto each piece of glass).

Every bathscreen is tested and comply with BS EN 14428:2015+A1:2018.



Hinged Door With Inline Panel

Attention to detail is important. The precision engineered Wave Collection strikes a perfect balance between great performance and stylish modern design. The hinged door with inline panel is no exception and is the latest addition to the range - the ideal choice for luxury enclosure spaces.

FEATURES:

1950mm height doors

8mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

25mm adjustment per wall profile

Semi-Framed Design

Effortless installation

Fully reversible

Complete with Profile Cover Caps


With or without side panel

Concealed Fixings

Extension Profiles available

Super clear seals

Compatible shower trays - see page 38-42



SILVER



BLACK



BRUSHED BRASS



BRUSHED NICKEL



GUN METAL





Hinged Door With Inline Panel

1950mm Height Hinged Door With Inline Panel in Recess and for Use with Optional Side Panel

Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
1000	950-1000	WHI10*	S, B, BRS, N or GUN	WAVHI100 & WAVHIDG	980.17	1057.76	1163.54	1163.54
1100	1050-1100	WHI11*	S, B, BRS	WAVHI110 & WAVHIDG	997.69	1076.76	1184.44	-
1200	1150-1200	WHI12*	S, B, BRS, N or GUN	WAVHI120 & WAVHIDG	1,015.31	1095.87	1205.45	1205.45
1300	1250-1300	WHI13*	S, B, BRS	WAVHI130 & WAVHIDG	1,034.37	1116.53	1228.18	-
1400	1350-1400	WHI14*	S, B, BRS, N or GUN	WAVHI140 & WAVHIDG	1,051.04	1134.61	1248.07	1248.07
1500	1450-1500	WHI15*	S, B, BRS	WAVHI150 & WAVHIDG	1,067.39	1152.33	1267.56	-
1600	1150-1600	WHI16*	S, B, BRS	WAVHI160 & WAVHIDG	1,083.87	1170.21	1287.23	-
1700	1650-1700	WHI17*	S, B, BRS, N or GUN	WAVHI170 & WAVHIDG	1,102.32	1190.21	1309.23	1309.23

Single order codes above (WHI10-17) comprise door glass and fixed panel with frame kit.


1950mm Optional Extension Profile

Width mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £			
				SILVER	BLACK	BRUSHED BRASS	COLOURS
15	Extension Profile	WAVLEP*	S, B, BRS, N or GUN	-	47.28	47.28	47.28

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)

Opening widths

Size	D Opening	P Protrusion
All	624	652



Hinged Door With Inline Panel - Optional Side Panel

1950mm Height Optional Side Panel

Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
700	665-700	WAVSP070*	S, B, BRS	-	354.14	383.99	422.41	-
750	715-750	WAVSP075*	S, B, BRS	-	373.82	405.33	445.86	-
800	765-800	WAVSP080*	S, B, BRS, N or GUN	-	399.64	433.33	476.66	476.66
900	865-900	WAVSP090*	S, B, BRS, N or GUN	-	432.84	469.33	516.27	516.27
1000	965-1000	WAVSP100*	S, B, BRS, N or GUN	-	490.64	531.99	585.20	585.20

Optional side panels are 6mm glass

1950mm Optional Extension Profile

Width mm		Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
15	Extension Profile	WAVLEP*	S, B, BRS, N or GUN	-	47.28	47.28	47.28	47.28

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)



Sliding Shower Door

As the door slides close with barely a whisper (as a result of the ultra-quiet closing quiet mechanism) and you see the simple clean lines of the shower door, it's not hard to imagine how the Wave slider helps create the perfect place to unwind and relax as well as enhance the beauty of your bathroom.

FEATURES:

1950mm height doors

6 & 8mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS
EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

25mm adjustment per wall profile

Complete with Profile Cover Caps

Effortless installation

Fully reversible

With or without side panel

Concealed Fixings

Extension Profiles available

Super clear seals

Quick release double rollers

Compatible shower trays - see page 38-42



SILVER



BLACK



BRUSHED BRASS



BRUSHED NICKEL



GUN METAL





Sliding Shower Door

1950mm Height Sliding Door in Recess and for Use with Optional Side Panel

Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
1000	950-1000	WAVS100*	S, B, BRS	-	725.50	786.65	865.32	-
1100	1050-1100	WAVS110*	S, B, BRS	-	750.10	813.32	894.65	-
1200	1150-1200	WAVS120*	S, B, BRS, N or GUN	-	762.39	826.65	909.33	909.33
1400	1350-1400	WS14*	S, B, BRS, N or GUN	WAVSF140 & WAVSDG140	828.86	893.32	982.64	982.64
1500	1450-1500	WS15*	S, B	WAVSF150 & WAVSDG150	874.29	942.48	-	-
1600	1550-1600	WS16*	S	WAVSF160 & WAVSDG160	874.29	-	-	-
1700	1650-1700	WS17*	S, B, BRS, N or GUN	WAVSF170 & WAVSDG170	949.75	1023.98	1126.38	1126.38

Fixed panel is 6mm glass, Door is 8mm glass.

1000-1200 wide doors are supplied pre-assembled in one box, sizes 1400 to 1700 are supplied kitted in 2 boxes.

Single order codes above (WS14/15/16/17) comprise sliding door and Fixed panel with frame kit, supplied in 2 boxes.

1950mm Optional Extension Profile


Width mm		Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
15	Extension Profile	WAVLEP*	S, B, BRS, N or GUN	-	47.28	47.28	47.28	47.28

*Please add the following codes to the product code when ordering a colour option:

Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)

Opening widths

Size mm	D Opening
1000	365
1100	415
1200	465
1400	565
1500	615
1600	665
1700	715



Sliding Shower Door - Optional Side Panel

1950mm Optional Side Panel

Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
700	665-700	WAVSP070*	S, B, BRS	-	354.14	383.99	422.41	-
750	715-750	WAVSP075*	S, B, BRS	-	373.82	405.33	445.86	-
800	765-800	WAVSP080*	S, B, BRS, N or GUN	-	399.64	433.33	476.66	476.66
900	865-900	WAVSP090*	S, B, BRS, N or GUN	-	432.84	469.33	516.27	516.27
1000	965-1000	WAVSP100*	S, B, BRS, N or GUN	-	490.64	531.99	585.20	585.20

Optional side panels are 6mm glass

1950mm Optional Extension Profile

Width mm		Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
15	Extension Profile	WAVLEP*	S, B, BRS, N or GUN	-	47.28	47.28	47.28	47.28

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)



Hinged Shower Door

With easy access and understated looks, the hinged door is the perfect choice for a personal sanctuary or family showering space. Add to that the contemporary and elegant styling and it's easy to see why the hinged door is the perfect choice for a recessed showering space.

FEATURES:

1950mm height doors

8mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

25mm adjustment per wall profile

Complete with Profile Cover Caps

Effortless installation

Magnetic seals

Fully reversible


With or without side panel

Concealed Fixings

Extension Profiles available

Super clear seals

Compatible shower trays - see page 38-42



SILVER



BLACK



BRUSHED BRASS



BRUSHED NICKEL



GUN METAL





Hinged Shower Door

1950mm Height Hinged Door in recess and for use with Optional Side Panel

Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
700	650-700	WAVH070	S	-	576.52	-	-	-
750	700-750	WAVH075	S, B	-	598.85	649.32	-	-
800	750-800	WAVH080	S, B, BRS, N or GUN	-	625.90	678.65	746.51	746.51
900	850-900	WAVH090	S, B, BRS, N or GUN	-	664.02	719.99	791.99	791.99
1000	950-1000	WAVH100	S, B, BRS, N or GUN	-	700.91	759.99	836.00	836.00


1950mm Optional Extension Profile

Width mm		Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
15	Extension Profile	WAVLEP*	S, B, BRS, N or GUN	-	47.28	47.28	47.28	47.28

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)

Opening widths

Size mm	D Opening	P Protrusion
700	520	523
750	570	573
800	620	623
900	720	723
1000	820	823



Hinged Shower Door - Optional Side Panel

1950mm Optional Side Panel

Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
700	665-700	WAVSP070*	S, B, BRS	-	354.14	383.99	422.41	-
750	715-750	WAVSP075*	S, B, BRS	-	373.82	405.33	445.86	-
800	765-800	WAVSP080*	S, B, BRS, N or GUN	-	399.64	433.33	476.66	476.66
900	865-900	WAVSP090*	S, B, BRS, N or GUN	-	432.84	469.33	516.27	516.27
1000	965-1000	WAVSP100*	S, B, BRS, N or GUN	-	490.64	531.99	585.20	585.20

Optional side panels are 6mm glass

1950mm Optional Extension Profile

Width mm		Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
15	Extension Profile	WAVLEP*	S, B, BRS, N or GUN	-	47.28	47.28	47.28	47.28

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)



Bifold Shower Door

With great access, the benefits of a bifold are clear to see. Offering a versatile space-saving solution, the inward opening mechanism doesn't intrude into the bathroom space. This sleek semi-framed door is fully reversible with unique interlocking caps, making it easy to install.

FEATURES:

1950mm standard height doors

6mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear® easy clean glass both sides

25mm adjustment per wall profile

Complete with Profile Cover Caps

Inward opening

Effortless installation

Perfect for smaller bathrooms & loft conversions



Fully reversible

With or without side panel

Concealed Fixings

Extension Profiles available

Compatible shower trays - see page 38-42



SILVER



BLACK





Bifold Shower Door

1950mm Height Bifold Door in recess and for use with Optional Side Panel

Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £	
					SILVER	BLACK
700	650-700	WAVB070*	S	-	682.46	-
800	750-800	WAVB080*	S, B	-	750.10	813.32
900	850-900	WAVB090*	S, B	-	796.82	863.99
1000	950-1000	WAVB100*	S, B	-	858.31	930.65


1950mm Optional Extension Profile

Width mm		Code	Add Colour Code	Previous Code	Price Inc. VAT £	
					SILVER	BLACK
15	Extension Profile	WAVLEP*	S, B	-	4728	4728

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B)

Opening widths

Door Size	D Opening	I Intrusion
700	415	280
800	515	330
900	615	380
1000	715	430



Bifold Shower Door - Optional Side Panel

1950mm Optional Side Panel						
Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £	
					SILVER	BLACK
700	665-700	WAVSP070*	S, B	-	354.14	383.99
750	715-750	WAVSP075*	S, B	-	373.82	405.33
800	765-800	WAVSP080*	S, B	-	399.64	433.33
900	865-900	WAVSP090*	S, B	-	432.84	469.33
1000	965-1000	WAVSP100*	S, B	-	490.64	531.99

1950mm Optional Extension Profile						
Width mm		Code	Add Colour Code	Previous Code	Price Inc. VAT £	
					SILVER	BLACK
15	Extension Profile	WAVLEP*	S, B	-	47.28	47.28

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B)



Single & Double Door Quadrants

With a stunning choice of finishes, our quadrant enclosures combine bold styling and a spacious yet unobtrusive showering space. Featuring smooth and quiet sliding doors, the Quadrant is also available offset with a left-hand or right-hand tray to suit your bathroom configuration.

FEATURES:

1950mm standard height doors
6 & 8mm Safety Toughened Glass EN12150-1
UKCA marked: Conforms with BS EN14428:2015+A1:2018
Lifetime warranty
AllClear® easy clean glass both sides
25mm adjustment per wall profile
Complete with Profile Cover Caps

Effortless installation
Fully reversible
Twin, quick release rollers for easy cleaning.
Extension Profiles available
Concealed Fixings
Super clear seals
Compatible shower trays - see page 38-42



SILVER



BLACK



BRUSHED BRASS



BRUSHED NICKEL



GUN METAL





Single Door Quadrant

1950mm Height Single Door Quadrant

Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £			
					SILVER	BLACK	BRUSHED BRASS	COLOURS
800 x 800	765 - 790	WRSD80*	S	WAVRSD080 & WAVRSDDG	871.74	-	-	-
900 x 900	865 - 890	WRSD90*	S, B, BRS, N or GUN	WAVRSD090 & WAVRSDDG	920.92	991.99	1091.17	1091.17
900 x 800	865 - 890/765 - 790	WRSD98*	S	WAVRSD098 & WAVRSDDG	930.76	-	-	-
1000 x 800	965 - 990/765 - 790	WRSD108*	S, B, BRS, N or GUN	WAVRSD108 & WAVRSDDG	1,009.46	1087.98	1196.79	1196.79
1200 x 800	1165 - 1190/765 - 790	WRSD128*	S, B, BRS, N or GUN	WAVRSD128 & WAVRSDDG	1,079.55	1163.98	1279.15	1279.15
1200 x 900	1165 - 1190/865 - 890	WRSD129*	S, B, BRS, N or GUN	WAVRSD129 & WAVRSDDG	1,099.23	1185.32	1,303.47	1,303.47

Wave single door quadrants are 8mm glass and the fixed panels are 6mm glass.


Note: Door closure is to 'flat' fixed panel only.

1950mm Optional Extension Profile

Width mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £			
				SILVER	BLACK	BRUSHED BRASS	COLOURS
15 Extension Profile	WAVLEP*	S, B, BRS, N or GUN	-	47.28	47.28	47.28	47.28

*Please add the following codes to the product code when ordering a colour option:

Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)



Opening widths

Size	Door Opening (mm)
800 x 800	400
900 x 900	500
900 x 800	500
1000 x 800	500
1200 x 800	500
1200 x 900	500

Trays for offset quads are supplied handed, please choose L for left and R for right when ordering. Please see page 40


Double Door Quadrant

1950mm Height Double Door Quadrant						
Width mm	Adjustment mm	Code	Add Colour Code	Previous Code	Price Inc. VAT £	
					SILVER	BLACK
800 x 800	765 - 790	WR80*	S	WAVR080 & WAVRDG	808.76	-
900 x 900	865 - 890	WR90*	S, B	WAVR090 & WAVRDG	828.44	893.32
1000 x 800	965 - 990/765 - 790	WR108*	S, B	WAVR108 & WAVRDG	887.46	957.32
1200 x 800	1165 - 1190/765 - 790	WR128*	S, B	WAVR128 & WAVRDG	929.27	1002.65
1200 x 900	1165 - 1190/865 - 890	WR129*	S, B	WAVR129 & WAVRDG	951.41	1026.65

Wave double door quadrants are 8mm glass and the fixed panels are 6mm glass.

1950mm Optional Extension Profile						
Width mm		Code	Add Colour Code	Previous Code	Price Inc. VAT £	
					SILVER	BLACK
15	Extension Profile	WAVLEP*	S, B	-	47.28	47.28



*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B)



Opening widths

Size	Door Opening (mm)
800 x 800	390
900 x 900	550
1000 x 800	470
1200 x 800	470
1200 x 900	550

Trays for offset quads are supplied handed, please choose L for left and R for right when ordering. Please see page 40



MWI[®] 8mm Walk In Panels

Elevate your showering space and experience. Crystal clear glass with AllClear[®] coating on both sides, minimalist design that will enhance any bathroom. Corner, recess or straight wall, direct to shower tray or tiled floor. This superb collection brings a touch of spa hotel elegance, effortlessly combining charm and sophistication.

FEATURES:

2000mm height

8mm Safety Toughened Glass EN12150-1

UKCA marked: Conforms with BS EN14428:2015+A1:2018

Lifetime warranty

AllClear[®] easy clean glass both sides

Completely frameless

20mm adjustment


Fully reversible

Fit on shower tray or tiled floor

Optional & retrofittable 270° deflector panel available

Complete with Profile Cover Caps

Compatible shower trays - see page 38-42





MWI® 8mm Walk In Panel Complete Kits

1990mm Height Walk In Panel or Side Panel

Width mm	Adjustment mm	Height mm	Code	Price Inc. VAT £		
				SILVER	BLACK	COLOURS
200	200-220	1990	MWP820*	179.05	180.35	187.24
300	300-320	1990	MWP830*	203.52	204.82	211.70
400	400-420	1990	MWP840*	226.91	228.20	235.09
500	500-520	1990	MWP850*	253.48	254.77	261.66
600	600-620	1990	MWP860*	279.70	280.99	287.88
700**	660-680	1990	MWP870*	346.93	349.24	364.94
750**	710-730	1990	MWP875*	346.93	349.24	364.94
800**	760-780	1990	MWP880*	370.79	373.09	388.80
900**	860-880	1990	MWP890*	395.14	397.44	413.15
1000**	960-980	1990	MWP8100*	419.63	421.93	437.64
1100**	1060-1080	1990	MWP8110*	443.41	445.72	461.42
1200**	1160-1180	1990	MWP8120*	467.27	469.57	485.28
1400**	1360-1380	1990	MWP8140*	525.67	527.98	543.68

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk in panels can be fitted to tiled floors or most standard shower trays.

200mm - 600mm wide order codes comprise glass panel and standard wall profile WPS*

700mm - 1400mm wide order codes comprise glass panel, standard wall profile WPS* and bracing bar BB1*


Bracing bar BB1 is supplied complete with T piece for side panel installation

Optional 270° Full Hinged Deflector for 8mm Glass


Width mm	Description	Add Colour Code	Price Inc. VAT £		
			SILVER	BLACK	COLOURS
300	Full Height Hinge Deflector Assembly 8mm	BY8-3*	248.71	253.50	278.84

Deflector can be retro fitted.

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)



WETROOM FRONT PANEL



WETROOM FRONT PANEL WITH DEFLECTOR PANEL



Silver



Black



Brushed Brass




Brushed Nickel




Gun Metal

MWI® 8mm Walk In Panels - Two Panels



WETROOM FRONT AND SIDE PANEL



WETROOM FRONT AND SIDE PANEL
WITH DEFLECTOR PANEL



Bath Screens

Eye-catching frameless over bath hinged screens – smart square or gorgeous curved design. Smooth operation and clear seals to keep the water in.

FEATURES:

Height 1500mm

6 or 8mm Safety Toughened Glass
EN12150-1

UKCA marked: Conforms with BS
EN14428:2015+A1:2018

Curved and square designs

Single and double panel

Frameless

Supplied fully assembled

AllClear® easy clean glass both sides

15mm adjustment

Concealed wall profile screw cover
as standard

Super clear seals

Lifetime warranty

Fully reversible

Effortless installation





8mm Twin Panel Hinged

Where bathroom features a walk in showering space and a bath requiring a bath screen to match, or the only one showering possibility in your home and is over the bath Lakes has the ideal solution.

Super smooth hinged rotation and clear seals to help keep the water in.

FEATURES:

Height 1500mm

8mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD hardware

10mm adjustment

Wall profile cover caps as standard



Lifetime warranty

Fully reversible

90° outward door rotation

5 colour finishes



Effortless installation



Twin Panel Hinged Bathscreen


Height mm	Width mm	Code	Add Colour Code	Price Inc. VAT £			
				SILVER	BLACK	BRUSHED BRASS	COLOURS
1500	1000	MWB*	S, B, BRS, N or GUN	595.00	666.40	702.10	702.10

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)



Moving panel seals must be fitted as detailed left.

MONOCHROMES



SILVER (S)



BLACK (B)

COLOURS



BRUSHED BRASS (BRS)



BRUSHED NICKEL (N)



GUN METAL (GUN)

8mm Fixed Single Panel Hinged

The best designs are simple. Lakes 8mm fixed bath screens provide an uncluttered appearance and keep the shower water inside the bath.

FEATURES:

Height 1500mm

8mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile

10mm adjustment



Wall profile cover caps as standard

Lifetime warranty

Fully reversible

5 colour finishes

Effortless installation



Fixed Single Panel Bathscreen

Height mm	Width mm	Code	Add Colour Code	Price Inc. VAT £			
				SILVER	BLACK	BRUSHED BRASS	COLOURS
1500	800	MWB90-080*	S, B, BRS, N or GUN	250.00	287.50	295.00	295.00

Supplied complete with wall profile cover cap
An optional wall to glass bracing bar can be ordered please see below.
Bathscreens are a water deflector only.

Optional Wall to Glass Bracing Bar	MWBS-BA*	S, B, BRS, N or GUN	47.27	65.15	82.85	82.85
---------------------------------------	----------	---------------------	-------	-------	-------	-------

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)



MONOCHROMES



SILVER (S)



BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)



BRUSHED
NICKEL (N)



GUN METAL
(GUN)

6mm Twin Panel Folding

This outstanding Folding and Hinged Bath Screen. The screen fully folds flush to the wall into and outside the bath making it the perfect screen where space is at a premium. Blending easy clean lines with unrivalled function.

FEATURES:

6mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD hardware

15mm adjustment

Concealed wall profile cover caps as standard




Lifetime warranty

Hinges and folds fully in and out

Fully reversible

3 colour finishes

Effortless installation



Twin Panel Folding Bathscreen

Height mm	Width mm	Code	Add Colour Code	Price Inc. VAT £		
				SILVER	BLACK	BRUSHED BRASS
1500	900	BSA75*	S, B, BRS	395.00	442.40	466.10

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS)

Supplied complete with bracing bar for the fixed panel and wall profile cover cap.
Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS)



SILVER (S)




BLACK (B)



BRUSHED BRASS (BRS)

Please consult your installer regarding locating shower valves/heads and bath fillers to ensure they do not interfere with the bathscreen operation, when folded back to the wall.



6mm Twin Panel Hinged

Completely frameless introducing a contemporary uncluttered look for any bathroom project. We have placed particular emphasis on blending great visual styling with outstanding performance.

FEATURES:

Height 1500mm

6mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD hardware

15mm adjustment

Concealed wall profile cover caps as standard



Lifetime warranty

90° outward door rotation

Fully reversible

5 colour finishes

Effortless installation




Twin Panel Hinged Bathscreen

Height mm	Width mm	Code	Add Colour Code	Price Inc. VAT £			
				SILVER	BLACK	BRUSHED BRASS	COLOURS
1500	900	BSA100*	S, B, BRS, N or GUN	395.00	442.40	466.10	466.10

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN)

Supplied complete with bracing bar for the fixed panel and wall profile cover cap
Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

MONOCHROMES



SILVER (S)



BLACK (B)

COLOURS





BRUSHED BRASS (BRS)



BRUSHED NICKEL (N)



GUN METAL (GUN)



Moving panel seals must be fitted as detailed left.

6mm Single & Twin Panel Profile Hinged

Eye-catching frameless over bath hinged screens – smart square or gorgeous curved design. Smooth 90° in/out and clear seals to keep the water in.

FEATURES:



Height 1500mm	Concealed wall profile cover caps as standard
6mm Safety Toughened Glass EN12150-1	Lifetime warranty
UKCA and EN Approved to BS EN 14428:2015+A1:2018	Fully reversible
Frameless	90° in/out door rotation
AllClear® easy clean glass both sides	3 colour finishes
Anodised profile and PVD fittings	Effortless installation
15mm adjustment	

Single Panel Profile Hinged Bathscreens							
Description	Height mm	Width mm	Code	Add Colour Code	Price Inc. VAT £		
					SILVER	BLACK	BRUSHED BRASS
Curved Single Panel Hinged Bath Screen	1500	800	BSA10*	S, B, BRS	195.43	218.88	230.61
Square Single Panel Hinged Bath Screen	1500	800	BSA50*	S, B, BRS	195.43	218.88	230.61

Twin Panel Profile Hinged Bathscreens							
Description	Height mm	Width mm	Code	Add Colour Code	Price Inc. VAT £		
					SILVER	BLACK	BRUSHED BRASS
Curved Twin Panel Hinged Bath Screen	1500	950	BSA20*	S, B, BRS	357.39	400.28	421.72
Square Twin Panel Hinged Bath Screen	1500	950	BSA60*	S, B, BRS	357.39	400.28	421.72

*Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS)

Supplied complete with wall profile cover cap
BSA10/20 Glass edge radius 70mm
BSA20/60 fixed panel is 310mm width and complete with inline bracing bar
Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.



Moving panel seals must be fitted as detailed left.

Stone Resin Shower Trays

Superbly engineered and produced in the UK to the most exacting standards. Modern, minimalist low-profile form with a truly comfortable standing area, exceptional water draining capacity, available as standard or slip resistant and the perfect partner to Lakes 6mm shower doors and 8mm Walk In panels.

FEATURES:

Acrylic capped ABS stone resin

Super strong and rigid

50mm height tray perimeter

30% lighter than standard resin trays

50mm wide tray rim

Super white finish

Standard and Slip Resistant to Class C,
DIN 51097

All trays comply to BS EN14527:2006 Class 1/
BS EN15720:2009

Can be fitted flat to floor or with easy fit
riser kit options

Suitable for marine ply boarded or
concrete floor


Integral anti-bacterial hygiene properties

Stain and chemical resistant

90mm Ø Top Fix waste sold separately

10-year guarantee

10
YEARS



NOTE: Trays must be plumbed and level, walls should be tiled down to the tray and sealed before doors are fitted. Check tray height before installation as there are manufacturing tolerances that must be allowed for.



The Safer Showering Experience


Stone Resin Slip Resistant Shower Trays.

FEATURES:

Easy Clean

Moulded slip-resistant acrylic capped surface


Surpasses the requirements of the Barefoot Ramp Test DIN 51097 for the best slip resistance



Class C, DIN 51097


Stone Resin Shower Trays

Square Shower Trays (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
700 x 700	Corner	ST70SW	111.88	134.26	STKIT1
760 x 760	Corner	ST76SW	111.88	134.26	STKIT1
800 x 800	Corner	ST80SW	129.85	155.82	STKIT1
900 x 900	Corner	ST90SW	145.37	174.44	STKIT1

Rectangular Shower Trays (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
700 x 900	Corner	ST79RW	185.38	222.46	STKIT2
700 x 1000	Corner	ST710RW	191.92	230.30	STKIT2
700 x 1200	Corner	ST712RW	199.27	239.12	STKIT2
700 x 1400	Corner	ST714RW	322.58	387.10	STKIT3
700 x 1500	Corner	ST715RW	360.97	433.16	STKIT3
700 x 1600	Corner	ST716RW	425.48	510.58	STKIT3
700 x 1700	Corner	ST717RW	455.70	546.84	STKIT3
760 x 1000	Corner	ST7610RW	191.92	230.30	STKIT2
760 x 1200	Corner	ST7612RW	200.08	240.10	STKIT2
760 x 1400	Corner	ST7614RW	320.13	384.16	STKIT3
760 x 1500	Corner	ST7615RW	376.48	451.78	STKIT3
760 x 1700	Corner	ST7617RW	470.40	564.48	STKIT3
800 x 1000	Corner	ST810RW	191.92	230.30	STKIT2
800 x 1100	Corner	ST811RW	199.27	239.12	STKIT2
800 x 1200	Corner	ST812RW	221.32	265.58	STKIT2
800 x 1300	Corner	ST813RW	310.33	372.40	STKIT3
800 x 1400	Corner	ST814RW	320.13	384.16	STKIT3
800 x 1500	Corner	ST815RW	381.38	457.66	STKIT3
800 x 1600	Corner	ST816RW	425.48	510.58	STKIT3
800 x 1700	Long side centre	ST817RW	512.05	614.46	STKIT3
900 x 800	Corner	ST89RW	185.38	222.46	STKIT2
900 x 1000	Corner	ST910RW	199.27	239.12	STKIT2
900 x 1100	Corner	ST911RW	208.25	249.90	STKIT2
900 x 1200	Corner	ST912RW	238.47	286.16	STKIT2
900 x 1400	Corner	ST914RW	337.28	404.74	STKIT3
900 x 1500	Corner	ST915RW	396.08	475.30	STKIT3
900 x 1600	Corner	ST916RW	441.82	530.18	STKIT3
900 x 1700	Long side centre	ST917RW	552.07	662.48	STKIT3

Quadrant Shower Trays (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
800 x 800	Radius Edge	ST88QW	137.20	164.64	STKIT4
900 x 900	Radius Edge	ST99QW	153.53	184.24	STKIT4

550mm radius

Offset Quadrant Shower Trays (order waste separately)




Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
800 x 100 LH	Radius Edge	ST810QWL	210.70	252.84	STKIT5
800 x 1000 RH	Radius Edge	ST810QWR	210.70	252.84	STKIT5
800 x 1200 LH	Radius Edge	ST812QWL	221.32	265.58	STKIT5
800 x 1200 RH	Radius Edge	ST812QWR	221.32	265.58	STKIT5
900 x 1200 LH	Radius Edge	ST912QWL	262.15	314.58	STKIT5
900 x 1200 RH	Radius Edge	ST912QWR	262.15	314.58	STKIT5

550mm radius

RIGHT HAND SHOWN

Stone Resin Slip Resistant Shower Trays

Square Shower Trays Slip Resistant to Class C, DIN 51097 Barefoot Ramp Test (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
800 x 800	Corner	ST80SW-SR	164.25	197.10	STKIT1
900 x 900	Corner	ST90SW-SR	186.75	224.10	STKIT1

Rectangular Shower Trays Slip Resistant (order waste separately)



Size w x h mm	Waste Position	Code	Price £ Ex. VAT	Price £ Inc. VAT	Riser Kit
700 x 1200	Corner	ST712RW-SR	255.00	306.00	STKIT2
700 x 1400	Corner	ST714RW-SR	408.00	489.60	STKIT3
800 x 1000	Corner	ST810RW-SR	245.25	294.30	STKIT2
800 x 1200	Corner	ST812RW-SR	283.50	340.20	STKIT2
800 x 1400	Corner	ST814RW-SR	408.00	489.60	STKIT3
800 x 1500	Corner	ST815RW-SR	481.50	577.80	STKIT3
800 x 1600	Corner	ST816RW-SR	537.75	645.30	STKIT3
800 x 1700	Long Side Centre	ST817RW-SR	650.25	780.30	STKIT3
900 x 1200	Corner	ST912RW-SR	304.50	365.40	STKIT2
900 x 1400	Corner	ST914RW-SR	429.75	515.70	STKIT3
900 x 1700	Long Side Centre	ST917RW-SR	700.50	840.60	STKIT3

Shower Tray Wastes



	Code	Price £ Ex. VAT	Price £ Inc. VAT
90mm Ø High Flow Waste Chrome	STWASTE90C	32.50	39.00
90mm Ø High Flow Waste Matt Black	STWASTE90B	40.83	49.00
90mm Ø High Flow Waste Brushed Brass	STWASTE90BRS	49.17	59.00

Waste conforms to BS EN 274 and has 50mm water seal and removable debris trap.
The Top-Fix design allows easier and safe installation.
Shower Waste 90mm G1 1/2".
Flow Rate 32Ltrs p/m.

Shower Tray Riser/Panel Kits



	Code	Price £ Ex. VAT	Price £ Inc. VAT
Riser/Panel Kit Square trays to 900mm	STKIT1	104.17	125.00
Riser/Panel Kit Rect, trays to 1200mm	STKIT2	104.17	125.00
Riser/Panel Kit Rect, trays > 1200mm	STKIT3	104.17	125.00
Riser/Panel Kit Quad	STKIT4	120.83	145.00
Riser/Panel Kit Offset Quad	STKIT5	120.83	145.00

Includes height adjustable legs, panels and clips. 85mm installed height.


Shower Tray Waste Positions

Measuring a space for a shower tray:


The tray waste positions below are provided as a guide only for first fix plumbing of the tray.

Please take into consideration wall tiles or wall panels when specifying the tray size.


RECTANGULAR (CENTRE WASTE)




RECTANGULAR (CORNER WASTE)




SQUARE



QUADRANT



OFFSET QUADRANT (RH SHOWN)



PRODUCT CARE

Caring for your shower door walk in panels, bath screen and shower tray

To maintain your guarantee, we recommend cleaning as below:

- Glass: Only use a soft cloth and mild detergent, rinse off thoroughly after cleaning.
- Metal and metallic surfaces: Use only a soft cloth and warm soapy water. Rinse off thoroughly.
- In hard water areas, regular cleaning of your Lakes product will help to prevent the build-up of limescale.
- Limescale can be removed using a 50:50 solution of white vinegar and water.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit/dirt which may have collected over time.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product.
- Do NOT use cleaning products, bleaches, solvents or abrasive pads.
- Non-compliance with these cleaning instructions will invalidate the products guarantee and may cause plated / painted / anodised surfaces/finishes to deteriorate and could adversely affect safe operation of the enclosure.



AFTER SALES COMMITMENT

At Lakes we are passionately devoted to providing the very best customer service. Lakes excellent customer service is supported by an extensive stock of spare parts across all ranges..

Call our dedicated customer service team on **01684 853870** who will deal with your enquiry and will swiftly dispatch your spares order. Alternatively email **customerservice@lakesuk.com** or head to our website and complete our enquiry form **www.lakesuk.com/contact-us**

SPARE PARTS

We have a team of technical experts who can deal with and offer advice on any queries you may have and arrange despatch of spare parts within 3-5 working days. Call us on **01684 853870**.

WHAT TO DO IF SOMETHING GOES WRONG

Should the product not function correctly on initial use, firstly, contact the installer to check the installation is in accordance with your installation instructions. Should this not resolve difficulties or should performance decline, refer to the 'Troubleshooting' section within the installation guide. Alternatively, our customer service team can assist or if necessary, arrange for a service engineer to visit. Please call **01684 853870**, email **customerservice@lakesuk.com** or head to our website and complete our enquiry form: **www.lakesuk.com/contact-us**

RETURNS POLICY

Lakes will not accept return of any product no longer required that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return subject to agreed returns charges, but no longer than 3 months from date of original delivery.

As part of Lakes continuing policy of product improvement, we reserve the right to amend specifications, colours and prices and discontinue products without prior notice.

Images, room layouts and associated bathroom products are for marketing and visual purposes only. The colours and finishes shown in the catalogues are as accurate the printing process permits.

*Errors and Omissions Exempt.

LAKES GUARANTEE



Shower Enclosures and Bath screens are covered by our Lifetime guarantee against manufacturing defect.

Shower trays and wastes are covered by a 10-year guarantee against manufacturing defect.

Guarantees are valid on condition that the products have been installed and maintained in accordance with the product's fitting instructions provided and used as intended. Damage or defects resulting from modification and or repair by unauthorised persons, improper use or are ex-display products are not covered. Lakes will resolve any defects resulting from manufacturing fault free of charge via repair or replacing parts, this must be only conducted by Lakes Bathrooms or an approved agent.

Please retain your proof of purchase to validate your guarantee. If your product becomes defective call us on **01684 853870** or email:

customerservice@lakesuk.com

ALLCLEAR®

Lakes Glass has been developed to ensure a crystal clear, smear-free, showering space. Our glass includes AllClear®, nano-bonded coating treatment, which is applied to both sides of the glass, meaning water, limescale and soap scum slide off the glass rather than sticking to it.

It stays clear and clean and comes as standard at no extra cost. Lakes Glass with AllClear® is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

INSTALLATION

Prior to installing your Lakes product, please read the installation guide in full. Failure to do so may invalidate your guarantee.

Shower trays must be plumbed and level, walls should be tiled or paneled down to the tray and sealed before doors are fitted. Check tray height before installation as there are manufacturing tolerances that must be allowed for.

When considering a new bath screen and bath installation, or adding a bath screen to an existing bathtub, the following checks must be made:

The bath rim should be essentially flat in form where the screen is located.

Baths with integrated soap dishes, 'roll top' bath style design and uneven bath rim types are not compatible with bath screens, and may cause water leaks.

Any bath handle grips included with a bath should not interfere with bath rim/bath screen.

When choosing your bath screen, check that any moving panel(s) whether inward or outward opening will not interfere with brassware, furniture or accessories in operation (taps/shower heads, basins, WCs, radiators etc).

It is recommended that the shower head position is centrally fitted on the same wall as the bath screen.

Bath rims must angle down toward the bath area to ensure that water landing on the rim drains into the bath. It is essential to check across rims, including corners using a small spirit level or a small amount of water to assess fall direction. Bathtubs exhibiting outward fall are not compatible.

Baths must be fully supported with timber battens/ support framing under the rim. Inadequate support can cause rim to drop/create outward fall.

LAKES QUALITY GUARANTEED

We have created this product information section to assist with your purchase and to provide useful information once your Lakes shower enclosure is installed.

For further information please visit: **www.lakesuk.com**

All Lakes shower enclosures, shower trays & bath screens are manufactured to the highest standards according to ISO 9001: 2015 Quality Management System.

All Lakes shower enclosures & bath screens are UKCA (& CE) marked, tested & conform with BS EN14428:2015+A1:2018. All glass used in construction is thermally toughened & marked according to EN12150-1.

Lakes shower trays comply to BS EN14527:2006 Class 1/ BS EN15720:2009. Shower wastes are manufactured to BS EN 274-1: 2002







LAKES

SHOWERING SPACES



Plan Your Bathroom







LAKES

Alexandra Way, Ashchurch, Tewkesbury,
Gloucestershire GL20 8NB

T: 01684 853870

info@lakesuk.com

SPECIFICATIONS CONTACT:

projects@lakesuk.com

lakesuk.com

