

# Piano Lato



1260mm x 550mm in White RAL 9016 with White Cylinder valves.



New Brass Lacquer 718mm x 398mm with matching Cylinder valves, pipe covers & shrouds.



RAL 9005 Jet Black

Electric 1210mm x 598mm in Chrome



Electric Chrome option

1866mm x 500mm in new Black Chrome with matching Cylinder valves, pipe covers & shrouds.



Satin Gold

1497mm x 600mm in new Copper Lacquer with matching Cylinder valves, pipe covers & shrouds.

# Quadre



1216mm x 430mm in Matt Black with Chrome Mini Cube valves.

# Blues



1400mm x 500mm in Polished Stainless Steel with Chrome 3 Style valves.



# Iris



600mm x 1000mm with Chrome 3 Style Corner valves.



Electric version 1200mm x 500mm.

# Chalfont Range

## Wall Hung



Wall Hung 750mm x 500mm in Chrome.



Floor Standing 938mm x 675mm  
in Chrome with RAL 9016 Steel Sections

# Linton Towel Rail

New  
Colours



New Antique Brass cast iron sections with RAL 9001 Cream steel tubes

900mm x 650mm with White RAL 9016 cast iron sections, Chrome steel tubes & Chrome Crosshead valves.

# Valves

Every Radiator needs a pair of valves to operate. Efficient performance is not the only benefit of good quality valves, they also add to the appearance of your finished radiator. All our valves have a 5 year warranty and can be delivered within 48-72 hours.

## Wheelhead and Lockshield

Every Radiator requires a pair of valves that work together, the Wheelhead adjusts the flow of water into the radiator and the Lockshield balances the flow of water around the whole system, ensuring each radiator heats up at the same rate, these should be adjusted by your installer.

## TRV or Manual?

Thermostatic Radiator Valves (TRVs) monitor the room temperature. They usually have between 4 to 6 levels and the valve opens and closes automatically to reach and maintain the desired level. TRVs can help maximise the efficiency of your system reducing energy consumption and are now a requirement as part of building regulations relating to new builds and refurbishments.

Manual valves are adjusted by hand; they allow a constant flow of water through your radiator regardless of the room temperature and radiators will only turn off when the main thermostat reaches its set point or the programmer turns the heating off.

## Angled, Corner or Straight?



## Pipework and Pipe centres

All our valves have 15mm connections as standard unless otherwise stated; if you need different connections please specify when ordering your valves. The use of plastic pipe has become more popular; however, our valves are not designed to operate with plastic pipes. Also, if chrome pipework is used most valves will not grip it securely because chrome is a harder surface than copper or iron and leaks can occur. Special fittings are required to enable valves to grip chrome pipe work and these must be specified at time of order. The position of the pipework for your radiator will be affected by the valves you select. All angled valves have a dimension to allow for adjusting pipe work. You should make adequate allowances for manufacturing tolerances in pipe centres. For straight valves, a minimum of 150mm should be allowed from the base of the radiator for ease of installation.

**Please note:** We will always supply angled valves as standard, if you require straight please specify at time of order. We endeavour to ensure all pipe centres are correct, however manufacturing tolerances must be considered; we strongly recommend that pipe work is not altered or adjusted until the new radiator or towel rail is fitted. The Radiator Company will not accept any responsibility for claims resulting from incorrect pipe centres.

## SAVE £45\*

### WHEN YOU BUY OUR SELECTED VALVES AND MATCHING PIPE COVERS WITH ANY RADIATOR OR TOWEL RAIL ORDER.

Saving based on the value of individual items when bought separately. Order any of our selected valves & matching pipe covers at the same time as your radiator quoting the relevant promo code below. See individual product pages for details.

#### IDEAL TRV (white / chrome)



Please quote **PROMOV1**  
(specifying 'W' for white or 'C' chrome)

#### VINTAGE TRV (any finish)



Please quote **PROMOV2**  
(please specify your finish at time of order)

#### CYLINDER VALVE (white / chrome)



Please quote **PROMOV3**  
(specifying 'W' for white or 'C' chrome)